

# NEXOPART Price List 2026

---

A Haver & Boecker and Hosokawa Alpine Company

**NEXOPART**

simplicity for your lab

**Sample Division**

NEXOPART RT Sample Divider	3
NEXOPART RPT Rotary Sample Splitter	3

**Test Sieve Machines**

Inspection of Sieve Machines	5
NEXOPART e200 LS	6 - 7
NEXOPART EML 200 Pure, Premium and Premium Remote	8
NEXOPART EML 315 digital plus	9
NEXOPART EML 450 digital plus	10
NEXOPART UWL 400	11
W.S.TYLER (Ro-Tap®)	12
Sound absorbing cupboards	12
NEXOPART UFA Ultrasonic frequency variation	13
Bulk Density Tester	13

**Dynamic Image Analysis**

NEXOPART CPA 2-1	13
------------------	----

**Test Sieves and Accessories**

NEXOPART USC Test Sieve Cleaners, Sieve Holder	
Drip-off Weight Test Set, Cones	14
Documentation of the conformity of Test Sieves	16

**Test Sieves with Stainless Steel Frames**

Ø 50 mm	17
Ø 76,2 mm (3")	18
Ø 100 mm	19
Ø 120 mm	20
Ø 150 mm	21
Ø 200 mm	22 - 25
Ø 203 mm (8")	26 - 29
Ø 200 mm Quality Gold	30
Ø 250 mm	32 - 33
Ø 300 mm (297,5 mm)	34 - 37
Ø 305 mm (12")	38 - 39
Ø 315 mm	40 - 41
Ø 350 mm	42 - 43
Ø 400 mm	44 - 45
Ø 450 mm (18")	46 - 47
Air Jet Sieves with Stainless Steel Frames	48 - 50

**Special Test Sieves**

Cereals- and Tobacco Test Sieves, Grid Test Sieves	51
--	----

**Test Sieves with Beechwood Frames**

300 x 300 mm	52 - 53
500 x 500 mm	54 - 55

**International Test Sieve Comparison Table****Quality assurance on site****Terms and Delivery**

Germany and Export	59
--------------------	----

**Pricelist 2026**

Valid for orders as of  
January 01, 2026

**NEXOPART RT Sample Divider****RT 75 - RT 50 - RT 37.5 - RT 25  
made from galvanized sheet steel**

	Article-No.	€/Piece
RT 75 (6 divisions, 75 mm = 3")	205322273	688
RT 50 (8 divisions, 50 mm = 2")	205322280	702
RT 37.5 (12 divisions, 37.5 mm = 1½")	205322297	721
RT 25 (16 divisions, 25 mm = 1")	205322303	721

**Component parts**

Receiver for RT 75   RT 50   RT 37.5   RT 25	205325021	114
Rack for RT 75   RT 50   RT 37.5   RT 25	205325809	139
Divider 16 divisions, 25 mm = 1"	205326592	238
Divider 12 divisions, 37.5 mm = 1½"	205326585	238
Divider 8 divisions, 50 mm = 2"	205326578	219
Divider 6 divisions, 75 mm = 3"	205326646	205

**RT 12.5 - RT 6.3  
made from lacquered sheet steel**

Sample Divider with receivers made from tinned sheet (1,75 l)

RT 12.5 (18 divisions 12.5 mm = ½")	205322310	358
RT 6.3 (12 divisions 6.3 mm = ¼")	205322327	358

Sample Divider with receivers plastic laminated (2,5 l)


RT 12.5 (18 divisions 12.5 mm = ½")	205322334	472
RT 6.3 (12 divisions 6.3 mm = ¼")	205322341	472

**Component parts**

Rack for RT 6.3   RT 12.5	205325779	111
Receiver made from tinned sheet (1,75L)	205326882	22
Receiver plastic laminated (2,5L)	205326899	62
Divider 18 divisions, 12.5 mm = 1/2"	205326608	176
Divider 12 divisions, 6.3 mm = 1/4"	205326622	176
Dust protection for Sample Splitter	206515759	216



Included in delivery:  
1 rack made from  
galvanized sheet steel  
1 divider made from  
galvanized sheet steel  
3 receivers



Included in delivery:  
1 rack made from  
lacquered sheet steel  
1 divider made from  
stainless steel  
3 receivers

**NEXOPART RPT Rotary Sample Splitter**

	Article-No.	€/Piece
RPT 1:8 with 230 Volt	205322396	8.936
RPT 1:10 with 230 Volt	205322402	8.998
RPT 1:30 with 230 Volt	205322419	10.618

**for RPT**

Sample tube, 15 ml	205322464	11
Sample tube, 20 ml	205322471	7
Sample tube, 30 ml	205322488	7
Sample tube, 32 ml	208500319	4
Sample tube, 250 ml	205322495	22
Sample tube, 500 ml	205322501	28



RPT  
Rotary Sample Splitter

# Test sieve machines. Precision in an entirely new dimension

Our goal is to make your work easier and more efficient. That is why we have developed machines that are simple and easy to operate. No complicated instructions, no confusing interfaces - just simplicity at its finest. NEXOPART test sieve machines are ready to use in no time and ensure a trouble-free sieving process every time. But do not let the simplicity fool you. Our machines are equipped with state-of-the-art technology that guarantees accurate and reliable results.

Whether you are analyzing samples or performing quality control testing, with their innovative features and rugged designs, our test sieve machines are perfectly made to meet the demands of both a busy lab and a production environment.



## Inspection of NEXOPART Test Sieve Machines

### Inspection of NEXOPART Test Sieve Machines within Quality Assurance

The standard EN ISO 9000 ff requires measuring instruments to be inspected at regular intervals.

### Assessment for the NEXOPART Test Sieve Machines

After a successful inspection the test sieve machines of the EML series receive an inspection seal and an inspection certificate 3.1 according to EN 10204. In case of unacceptable deviations or defects a cost estimate for the repair is submitted to the customer.

- Inspection of the NEXOPART Test Sieve Shakers EML series at our site in Oelde includes:

System diagnostics including amplitude check. Mechanical and electrical inspection and test run with inspection certificate 3.1

<b>EURO / machine</b>	<b>520.00</b>
-----------------------	---------------

- Inspection of the NEXOPART Test Sieve Shakers EML series on site includes:

System diagnostics including amplitude check. Mechanical inspection and test run with inspection certificate 3.1

<b>EURO / machine</b>	<b>upon request</b>
-----------------------	---------------------

- Inspection of the NEXOPART Test Sieve Shakers EML series Control at our Works in Oelde includes:

System diagnostics and performance test

<b>EURO / control</b>	<b>310.00</b>
-----------------------	---------------

- Inspection of a NEXOPART Air Jet Sieve Machine e200 LS at our site in Gersthofen includes:

general function and condition test, pressure test, execution of a test run, preparation of a system protocol

<b>EURO / Machine</b>	<b>520.00</b>
-----------------------	---------------

- Inspection of a NEXOPART Air Jet Sieve Machine e200 LS on site at the customer's premises includes:

general function and condition test, pressure test, execution of a test run, preparation of a system protocol

<b>EURO / Machine</b>	<b>upon request</b>
-----------------------	---------------------



EML-Series  
200, 315, 450

Please note:

The machines have to be cleaned by the customer. They have to be free from any contaminations. Otherwise, we may have to charge additional costs.

When sending in, please submit a declaration of no objection.



Air Jet Sieve Machine  
e200 LS

## NEXOPART Test Sieve Machine e200 LS for Air Jet Sieving

e200 LS eControl Lite*	Article No.	€ / piece
complete with software version Lite, sieve adapter, slotted nozzle, acrylic glass lid, suction silencer, hammer & brush, fitting, connection piece, power connection cable and operating instruction 90-264 V, 50/60 Hz   1500-5000 Pa Underpressure	210886500	7.733
e200 LS eControl Basic*		
complete with software version Basic, sieve adapter, slotted nozzle, acrylic glass lid, suction silencer, hammer & brush, power connection cable and operating instruction 90-264 V, 50/60 Hz   1500-5000 Pa Underpressure	210886531	10.026
e200 LS eControl Ultimate*		
complete with software version Ultimate, sieve adapter, slotted nozzle, acrylic glass lid, suction silencer, hammer & brush, power connection cable and operating instruction 90-264 V, 50/60 Hz   1500-5000 Pa Underpressure	210886555	12.484
e200 LS eControl Security*		
complete with software version Security, sieve adapter, slotted nozzle, acrylic glass lid, suction silencer, hammer & brush, power connection cable and operating instruction 90-264 V, 50/60 Hz   1500-5000 Pa Underpressure	210886562	18.465

\*Please note that it is mandatory to order a suction unit for the air jet sieving machine.

### Dust extraction

High-performance industrial vacuum cleaner type L / 230 V	210035946	984
High-performance industrial vacuum cleaner type L / 120 V	210035939	1.401
EVO industrial vacuum cleaner FEX 1000	210766901	6.289
Power contactor for eControl Lite (foreign vacuum cleaner)	210037070	331

### Accessories

#### Dust collection

NEXOPART high-performance cyclone GAZ 120	210035762	3.117
Pre-separator D360 - dust class M	210052356	1.603
Pre-separator D360 - dust class M + ATEX	210052363	2.588
Pre-separator D360 - dust class M + H	210052387	1.827
Pre-separator D360 - dust class M + H + ATEX	210052394	2.875

#### Balances

Laboratory balance Sartorius Entris® II BCEI202i-1S / 100-240 V	210916023	2.424
Laboratory balance Toledo MA 1002E / 100-240 V	210916160	3.847

#### Universal Sieve Adapter

Adapter for test sieves Ø 200 mm „Alpine A200 LS“ / „Haver & Boecker“ / „Nexopart“	210051342	526
Adapter for test sieves Ø 200 mm „Retsch“	210051373	534
Adapter for test sieves Ø 200 mm „Japan Industrial Standard (JIS)“	210051366	604
Adapter for test sieves Ø 203 mm „Haver & Boecker“ / „Nexopart“	210051359	526
Adapter for test sieves Ø 203 mm „Retsch“	210051380	589
Adapter for test sieves Ø 203 mm „W.S. Tyler“	210051397	526
Acrylic glass cover for „A200 LS“ test sieves	205923982	165
Acrylic glass cover for off-brand test sieves	210036622	186



e200 LS

Delivery incl. system log.  
Software can be  
upgraded at any time



High-performance  
industrial vacuum  
cleaner Typ L



Laboratory balance  
Sartorius Entris® II  
BCEI202i-1S

## NEXOPART Test Sieve Machine e200 LS Ersatzteile und Verbrauchsmaterial

### Standard accessories

	Article No.	€ / piece
Acrylic glass cover for „200 LS-N“ / „e200 LS test sieve	205923999	150
Standard adapter for test sieves Ø 203 mm „Alpine 200 LS-N“ / „Alpine e200 LS“ / „Nexopart“	210035755	220
Suction silencer	210035922	152
O-ring, D5 600 mm for standard sieve adapte	210036776	4
O-ring, D4 650 mm for standard sieve adapter	210036417	4
Hammer	210036134	11
Brush	210036288	6

### Dust extraction and dust collection

Flat pleated filter PES for vacuum cleaner type L	210036967	109
Flat pleated filter HEPA for vacuum cleaner type L	210037025	177
Fleece filter bag for vacuum cleaner type L	210036929	41
Disposal bag for vacuum cleaner type L	210036950	85
Spare suction hose for vacuum cleaner type L	210035984	307
Spare screw-cap jar for NEXOPART high-performance cyclone GAZ 120	210036141	9
Spare hose for pre-separator D360 and NEXOPART high-performance cyclone GAZ 120	210035977	156
Spare filter M for pre-separator D360	210037179	369
Spare filter M + H + ATEX for pre-separator D360	210037186	409
Spare filter M + ATEX for pre-separator D360	210037193	402
HEPA filter H13/ H14 for EVO vacuum cleaner FEX 1000	210769964	262
Filter cassette G4/ F9 for EVO vacuum cleaner FEX 1000	210870608	342
Filter change kit for EVO vacuum cleaner FEX 1000	210853700	29
Hose DN50 KPL for EVO vacuum cleaner FEX 1000	210867431	316

### Balances

Spare cable for Mettler laboratory balance	210036226	149
Spare cable for Sartorius laboratory balance	210036646	121
Spare sample pan Ø 130 mm	210036233	79

### Service

IQ/OQ documentation	210119684	489
URS User Requirement Specification	211124625	620
Qualification service		on request
Maintenance contract		on request

### Software Upgrade

Software upgrade from Lite to Basic	210037094	2.495
Software upgrade from Lite to Ultimate	210037100	4.976
Software upgrade from Lite to Security	210037117	on request
Software upgrade from Basic to Ultimate	210036486	2.656
Software upgrade from Basic to Security	210036851	on request
Software upgrade from Professional to Ultimate	210043750	700
Software upgrade from Professional to Security	210043774	on request
Software upgrade from Ultimate to Security	210036844	on request

### Nominal Size

w / µm	Electroformed nickel sheet DIN ISO 3310-3	
	Article No.	€ / piece
25	210054039	1.366
20	210054022	1.366
15	210054015	1.494
10	210053889	1.608
Sieving unit for test sieves Ø 76,2 mm	210035786	888



Standard adapter for  
test sieves Ø 203 mm  
„Alpine 200 LS-N“ /  
„Alpine e200 LS“ /  
„Nexopart“



Suction silencer

Please note that spare parts and upgrades for older units can only be supplied on request. Please get in touch with your sales contact person directly.

## NEXOPART Test Sieve Machine EML 200 for Vibratory Sieving

### EML 200 Pure with clamping system Classic „eco“

Article-No.	€ / Piece
205322921	2.829

complete with  
1 cover with inspection glass  
Clamping system\* for 2 guide rods M16 x 660 mm  
and 2 clamping nuts  
110-230 V, 50-60 Hertz

### EML 200 Premium with clamping system Classic

Article-No.	€ / Piece
205323003	3.533

complete with  
1 cover with inspection glass  
Clamping system\* for 2 guide rods M20 x 660 mm  
and 2 clamping nuts  
110-230 V, 50-60 Hertz

### EML 200 Premium with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
205322938	3.720

complete with  
1 cover with inspection glass  
Clamping system\* for 2 guide rods M20 x 660 mm  
and 2 clamping nuts  
110-230 V, 50-60 Hertz

### EML 200 Premium Remote with clamping system Classic

Article-No.	€ / Piece
205323034	4.093

complete with  
1 cover with full cone nozzle and inspection glass  
Clamping system\* for 2 guide rods M20 x 660 mm  
and 2 clamping nuts  
1 water plug with socket and 2 hose clipses  
1 PVC-water hose (3 lin.m)  
110-230 V, 50-60 Hertz

### EML 200 Premium Remote with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
205322945	4.278

complete with  
1 cover with full cone nozzle and inspection glass  
Clamping system\* for 2 guide rods M20 x 660 mm  
and 2 clamping nuts  
1 water plug with socket and 2 hose clipses  
1 PVC-water hose (3 lin.m)  
110-230 V, 50-60 Hertz

\*The possible sieve tower variants can be found in the data sheets of the test sieve shaker

#### Accessories

IQ/OQ documentation	206769374	489
3.1 Inspection Certificate for EML and UWL series	206944054	52
Reduction pieces for test sieves Ø 100 mm	205323577	391
Reduction pieces for test sieves Ø 150 mm	205323591	391
Reduction pieces for test sieves Ø 76 mm (3")	205323676	391
Reduction pieces for test sieves Ø 76 mm (3")	207885127	391
Cover with full cone nozzle and inspection glass for EML Remote	205325212	387
Cover with inspection glass for EML Premium + EML Pure	205325236	221
Full cone nozzle 4-piece, ready for installation	205323553	82
Water plug with socket and 2 hose clipses	205323195	36
PVC-water hose ½". 3 lin.m	205323225	13
Guide rod Classic „eco“ 660 mm (1 piece)	206515797	75
Clamping nut for Classic „eco“	208562010	61
Guide rod Classic / NEXOPART TwinNut 660 mm (1 piece) <sup>1</sup>	207963559	105
Guide rod Classic / NEXOPART TwinNut 660 mm (1 piece) <sup>2</sup>	206515773	105
Clamping nut for Classic - System (1 piece)	210122523	76
Clamping nut for NEXOPART TwinNut - System (1 piece)	210114139	166
Sound absorbing cupboard for EML 200*	205323485	2.059
<b>Sieve pan 200x50 mm, Stainless Steel</b>		
Sieve pan	205922589	51
Sieve pan with discharge nozzle for wet sieving	205922824	187



EML 200 Pure  
Dry sieving



EML 200 Premium  
Dry sieving



EML 200 Premium  
Remote  
Dry and wet sieving

With Inspection  
Certificate 3.1  
according to DIN EN  
10204 on request:  
Article-No. 206944054  
EURO / piece: 52,00

\* Will be replaced by  
soundabsorbing cup-  
board for EML 315. Only  
available until stocks  
last.

<sup>1</sup> built until 06/2018  
<sup>2</sup> built since 07/2018

## NEXOPART Test Sieve Shaker EML 315 digital plus for Vibratory Sieving

### EML 315 digital plus T with clamping system Classic

Article-No.	€ / Piece
205322686	4.765
205322679	4.522

complete with  
1 cover with inspection glass  
Clamping system for 2 guide rods 660 mm and 2 clamping nuts  
1 external special plug-type connector in shielded enclosure (only for 110 V)  
110 V, 50-60 Hertz  
230 V, 50-60 Hertz

### EML 315 digital plus T with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
205322785	4.948
205322778	4.713

complete with  
1 cover with inspection glass  
Clamping system for 2 guide rods 660 mm and 2 clamping nuts  
1 external special plug-type connector in shielded enclosure (only for 110 V)  
110 V, 50-60 Hertz  
230 V, 50-60 Hertz

### EML 315 digital plus N with clamping system Classic

Article-No.	€ / Piece
205322709	5.140
205322693	4.895

complete with  
1 cover with inspection glass  
Clamping system for 2 guide rods 660 mm and 2 clamping nuts  
1 water plug with socket and 2 hose clipses  
1 PVC-water hose (3 lin.m)  
1 external special plug-type connector in shielded enclosure (only for 110 V)  
110 V, 50-60 Hertz  
230 V, 50-60 Hertz

### EML 315 digital plus N with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
205322808	5.330
205322792	5.086

complete with  
1 cover with inspection glass and integrated wide spreading spray diffuser  
Clamping system for 2 guide rods 660 mm and 2 clamping nuts  
1 water plug with socket and 2 hose clipses  
1 PVC-water hose (3 lin.m)  
1 external special plug-type connector in shielded enclosure (only for 110 V)  
110 V, 50-60 Hertz  
230 V, 50-60 Hertz

\*The possible sieve tower variants can be found in the data sheets of the test sieve shaker

#### Accessories

IQ/OQ documentation	206769374	489
3.1 Inspection Certificate for EML and UWL series	206944054	52
Cover with wide spreading spray diffuser (Ø 300/305/250/200 mm)	205323416	580
Cover with wide spreading spray diffuser (Ø 315/250/200 mm)	205323423	608
Cover with inspection glass (Ø 300/315/250/200 mm)	205323430	418
Cover with inspection glass (Ø 315/250/200 mm)	205323409	447
Inspection glass without centre hole	205323683	21
Inspection glass with centre hole	205323690	29
Wide spreading spray diffuser with socket	205323560	169
Water plug with socket and 2 hose clipses	205323195	36
PVC-water hose ½". 3 lin.m	205323225	13
Guide rod Classic / NEXOPART TwinNut 660 mm (1 piece)	207963559	105
Clamping nut for Classic - System (1 piece)	210122523	76
Clamping nut for NEXOPART TwinNut - System (1 piece)	210114139	164
Reduction piece made from polyamide to receive a sieve pan with discharge nozzle Ø 200 mm	205323447	203
Sound absorbing cupboard for NEXOPART EML 315	206515780	2.140
<b>Sieve pan 300x60 mm, Stainless Steel</b>		
Sieve pan	205922671	106
Sieve pan with discharge nozzle	205922855	258



EML 315 digital plus T  
Dry sieving



EML 315 digital plus N  
Dry and wet sieving

With Inspection  
Certificate 3.1  
according to DIN EN 10204  
on request:  
Article-No. 206944054  
EURO / piece: 52,00

## NEXOPART Test Sieve Shaker EML 450 digital plus for Vibratory Sieving

### EML 450 digital plus T with clamping system Classic

Article-No.	€ / Piece
complete with 1 cover with inspection glass Clamping system for 2 guide rods 1000 mm and 2 clamping nuts 1 external special plug-type connector in shielded enclosure (only for 110 V)	
110 V, 50-61 Hertz	205322662 7.759
230 V, 50-60 Hertz	205322631 7.120

### EML 450 digital plus T with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
complete with 1 cover with inspection glass Clamping system for 2 guide rods 1000 mm and 2 clamping nuts 1 external special plug-type connector in shielded enclosure (only for 110 V)	
110 V, 50-60 Hertz	205322822 7.975
230 V, 50-60 Hertz	205322815 7.344

### EML 450 digital plus N with clamping system Classic

Article-No.	€ / Piece
complete with 1 cover with inspection glass and integrated wide spreading spray diffuser Clamping system for 2 guide rods 1000 mm and 2 clamping nuts 1 water plug with socket and 2 hose clips 1 PVC-water hose (3 lin.m)	
230 V, 50-60 Hertz	205322648 7.396

### EML 450 digital plus N with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
complete with 1 cover with inspection glass and integrated wide spreading spray diffuser Clamping system for 2 guide rods 1000 mm and 2 clamping nuts 1 water plug with socket and 2 hose clips 1 PVC-water hose (3 lin.m)	
230 V, 50-60 Hertz	205322839 7.614

\*The possible sieve tower variants can be found in the data sheets of the test sieve shaker

#### Accessories

IQ/OQ documentation	206769374	489
3.1 Inspection Certificate for EML and UWL series	206944054	52
Cover with wide spreading spray diffuser (Ø 450/400/350/315/305/300 mm)	205323362	773
Cover with inspection glass	205323355	600
Guide rod Classic / NEXOPART TwinNut 1000 mm (1 piece)	205323669	238
Additional weight for test sieves Ø 200-450 mm (27 kg)	205323379	340
Wide spreading spray diffuser with socket	205323560	169
PVC-water hose ½". 3 lin.m	205323225	13
Water plug with socket and 2 hose clips	205323195	36
Rubber ring for vibration body (6-piece)	206599322	42
Reduction piece for cover made from polyamide for test sieves Ø 200 mm	205323386	340
Inspection glass without centre hole EML 450 / UWL 400	205323584	29
Inspection glass with centre hole EML 450 / UWL 400	205323645	36
Clamping nut for Classic - System (1 piece)	200551449	131
Clamping nut for NEXOPART TwinNut - System (1 piece)	210124640	254
Reduction piece made from polyamide to receive a sieve pan < 400 mm with discharge nozzle	204362997	210
Sound absorbing cupboard for NEXOPART EML 450/UWL 400	205323515	3.504

#### Sieve pan 400x65 mm, Stainless Steel

Sieve pan	205922756	171
Sieve pan with discharge nozzle	205922893	289



EML 450 digital plus T  
Dry sieving



EML 450 digital plus N  
Dry and wet sieving

With Inspection Certificate 3.1 according to DIN EN 10204 on request:  
Article-No. 206944054  
EURO / piece: 52,00

## NEXOPART Test Sieve Shaker UWL 400 for Vibratory Sieving

### UWL 400 T with clamping system Classic

Article-No.	€ / Piece
complete with 1 cover with inspection glass Clamping system** for 2 guide rods 1000 mm and 2 clamping nuts	
205323102	8.077

### UWL 400 T with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
complete with 1 cover with inspection glass Clamping system** for 2 guide rods 1000 mm and 2 clamping nuts	
205322846	8.295

### UWL 400 H with clamping system for beechwood frames

Article-No.	€ / Piece
complete with 1 special appliance* for beechwood frames 300x300mm / 500x500 mm	
205323133	10.029

### UWL 400 N with clamping system Classic

Article-No.	€ / Piece
complete with 1 cover with inspection glass and integrated wide spreading spray diffuser Clamping system* for 2 guide rods 1000 mm and 2 clamping nuts 1 water plug with socket and 2 hose clips 1 PVC-water hose (3 lin.m)	
205323140	8.299

### UWL 400 N with quick-release clamping system NEXOPART TwinNut

Article-No.	€ / Piece
complete with 1 cover with inspection glass and integrated wide spreading spray diffuser Clamping system* for 2 guide rods 1000 mm and 2 clamping nuts 1 water plug with socket and 2 hose clips 1 PVC-water hose (3 lin.m)	
205322853	8.518

\*The possible sieve tower variants can be found in the data sheets of the test sieve shaker

#### Accessories

IQ/OQ documentation	206769374	489
3.1 Inspection Certificate for EML and UWL series	206944054	52
Cover with wide spreading spray diffuser (Ø 400/300 mm)	205323744	676
Cover with inspection glass (Ø 400/300 mm)	205323720	474
Inspection glass without centre hole EML 450 / UWL 400	205323584	29
Reduction pieces for test sieves Ø 350 mm-sieves (upper- and lower part)	205323775	506
Reduction pieces for test sieves Ø 200 mm-sieves (upper- and lower part)	205323652	864
Inspection glass with centre hole EML 450 / UWL 400	205323645	36
Clamping nut for Classic - System (1 piece)	200551449	131
Clamping nut for NEXOPART TwinNut - System (1 piece)	208562034	254
Reduction piece made from polyamide to receive a sieve pan with discharge nozzle Ø 300 mm	205323751	232
Special appliance and clamping system for beechwood frames	205323768	3.541
Wide spreading spray diffuser with socket	205323560	169
PVC-water hose ½". 3 lin.m	205323225	13
Water plug with socket and 2 hose clips	205323195	36
Guide rod Classic / NEXOPART TwinNut 1000 mm (1 piece)	205323669	238
Special appliance for test sieves Ø 450 mm	206515841	1.706
Sound absorbing cupboard for NEXOPART EML 450/UWL 400	205323515	3.504

#### Sieve pan 400x65 mm, Stainless Steel

Sieve pan	205922756	171
Sieve pan with discharge nozzle	205922893	289



UWL 400 T  
Dry sieving



UWL 400 H  
Dry sieving



UWL 400 N  
Dry and wet sieving

With Inspection Certificate 3.1 according to DIN EN 10204 on request:  
Article-No. 206944054  
EURO / piece: 52,00

## W.S.TYLER® Test Sieve Shaker RO-TAP®

**230 Volt, 50 Hertz** Article-No. €/Piece

Ro-Tap® RX-29-10 CE incl. sound absorbing cupboard (permanently installed)  
for 6 test sieves (200/203x50 mm) or 13 test sieves (200/203x32 mm) 205322655 6.533

Ro-Tap® RX-29-10  
for 6 test sieves (200/203x50 mm) or 13 test sieves (200/203x32 mm) 205323089 4.067

Ro-Tap® RX-30-10 CE incl. sound absorbing cupboard (permanently installed)  
for 5 test sieves (300/305x60 mm) or for 8 test sieves (300x32 mm) 205322761 7.062

Ro-Tap® RX-30-10  
for 5 test sieves (300/305x60 mm) or for 8 test sieves (300x32 mm) 205323119 4.603

Ro-Tap® RX-94  
for 2 x 6 test sieves (200/203x50 mm) or 2 x 12 test sieves (200/203x32 mm) 205323126 on request

### 115 V, 60 Hertz

Ro-Tap® RX-29  
for 6 test sieves; (200/203x50 mm) or 13 test sieves (200/203x32 mm) 205323096 4.067

### Accessories

IQ/OQ documentation 206769374 489  
Inspection Certificate 3.1 acc. to SAEJ 444 206749994 232

Spare parts: see e-shop  
[www.nexopart.com/en/shop](http://www.nexopart.com/en/shop)



## Sound absorbing cupboards for Test Sieve Shakers

Sound absorbing cupboard for EML 200\* 205323485 2.059  
Sound absorbing cupboard for EML 315 206515780 2.140  
Sound absorbing cupboard for EML 450/UWL 400\*\* 211276348 3.504

Ro-Tap® RX-29 and RX-30 (Cupboard R-30050) 205323331 1.586  
Ro-Tap® RX-94 205323348 2.327

\*Will be replaced by sound absorbing cupboard for EML 315. Only available while stocks last.  
\*\*Remaining stock in white, then in RAL 7035 (light gray).



Ro-Tap® RX 29-10 /  
RX 30-10



Ro-Tap® RX 29 /  
RX 30 (CE)



Ro-Tap® RX-94

Only CE-compliant  
RO-TAP analytical  
sieving machines  
may be used in GE/  
EU



for EML 200 / EML 315



for Ro-Tap®

## NEXOPART UFA Ultrasonic Sieving Support for NEXOPART Test Sieves

Analogue generator AGS35-100-230S, 20 - 100 W	205329012	3.021
Digital generator DGS 35-50-S, 50 W	205328329	3.033
Clamping ring for Test Sieves Ø 200 mm	205329005	182
Clamping ring for Test Sieves Ø 203 mm	205324437	263
Clamping ring for Test Sieves Ø 300 mm	205324420	376
Clamping ring for Test Sieves Ø 305 mm	205324444	376
Clamping ring for Test Sieves Ø 315 mm	205324451	376
Clamping ring for Test Sieves Ø 350 mm	205324413	376
Clamping ring for Test Sieves Ø 400 mm	205324468	451
Converter C35-LPI with connecting cable	205328299	1.011

## NEXOPART Bulk Density Tester for bulk density testing

Bulk Density Tester	201521298	2.881
---------------------	-----------	-------

## NEXOPART CPA Dynamic Image Analyzers for particle size and shape analysis of bulk materials

### NEXOPART CPA 2-1

for particles with the measuring range from 20 µm to 30 mm		
115 Volt, 60 Hertz	208705868	on request
230 Volt, 50 Hertz	208686891	on request

Standard CPA 2-1 laboratory devices, CPA peripherals and In- and Online solutions can be found on our website: [www.nexopart.com](http://www.nexopart.com).



Generator and converter  
with clamping ring



Bulk Density Tester



CPA 2-1

## NEXOPART Test Sieve Cleaners

### Test Sieve Cleaners using ultrasonic action

	Article-No.	€/Piece
USC 200 Multi for max. 5 test sieves $\varnothing \leq 230$	205322259	4.762
USC 200 S for 1 test sieve $\varnothing \leq 230$ mm	205323065	1.474
USC 500 S for 1 test sieve $\varnothing \leq 500$ mm	205323072	5.699

#### Included in delivery:

USC 200 S	USC 500 S	USC 200 Multi
1 cover made of synthetic	1 cover made from stainless steel	1 cover made from stainless steel
1 sieve rack made from stainless steel	1 insert basket made from stainless steel	1 sieve rack made from stainless steel
1 litre cleaning fluid	5 litre cleaning fluid	5 litre cleaning fluid

### Accessories

Cover for USC 200 S	205323607	48
Cover for USC 500 S	205323614	277
Cover for USC 200 Multi	205326929	133
Sieve rack for USC 200 Multi	205327131	364
Sieve rack for USC 200 S	205323638	111
Insert basket for USC 200 S	206599254	140
Insert basket for USC 500 S	205323621	377
1 Litre cleaning fluid	205322600	19
5 Litre cleaning fluid	205322365	66



## NEXOPART Sieve Holder for Test sieves $\varnothing$ 200 and 203 mm

### Sieve holder

for 5 NEXOPART Test Sieves $\varnothing$ 200/203 mm - 28-32 mm height	205332005	150
for 5 NEXOPART Test sieves $\varnothing$ 200/203 mm - 50 mm height	206515766	134

## NEXOPART Drip-off Weight Test Set for Canned Food

### Component parts for sieves $\varnothing$ 200 mm

Slope device for Test Sieves $\varnothing$ 200/300 mm	205324383	717
NEXOPART Test Sieves with Frame, w 2.8 mm	206146489	123
Intermediate pan	205923715	91
Sieve pan with discharge nozzle for wet sieving	205922824	187

### Component parts for sieves $\varnothing$ 300 mm

Slope device for Test Sieves $\varnothing$ 200/300 mm	205324383	717
NEXOPART Test Sieves with Frame, w 2.8 mm	206168603	212
Intermediate pan	205923777	167
Sieve pan with discharge nozzle for wet sieving	205922855	258

## NEXOPART Cones

for the determination of the absorbent power and water retention capacity of granular products using the Westinghouse-Method

### Cones 75 mm height and $\varnothing$ 70 mm Metal Wire Cloth

w: 0,355 mm   d: 0,224 mm	205324369	71
w: 0,250 mm   d: 0,160 mm	205324376	71

### Cones 105 mm height and $\varnothing$ 100 mm Metal Wire Cloth

w: 0,355 mm   d: 0,224 mm	205324345	81
w: 0,250 mm   d: 0,160 mm	205324352	81

Corresponds to the European standard DIN SPEC 1155 - DIN CEN / TS 15366 / NF V 19-002

# Suitable and standard-compliant for every sieving task

In addition to our standard test sieves, our range of NEXOPART sieves also includes stainless steel grain and tobacco test sieves as well as square wooden frame sieves. The particularly smooth surface of our frames prevents cross contamination and the sieve wire cloth retains its tension exceedingly well even after intensive use. Manual sieving, conventional sieving, wet or dry sieving: **Analyze bulk materials from 5  $\mu$ m to 125 mm with NEXOPART.**

### Wire cloth

- ISO 3310-1, ASTM E11, TYLER Screen Scale
- Nominal sizes from 20  $\mu$ m to 125 mm
- Diameters from 50 mm to 450 mm

### Perforated plate with round holes

- ISO 3310-2
- Hole sizes from 1 mm to 125 mm
- Diameters from 200 mm to 450 mm

### Perforated plate with square holes

- ISO 3310-2
- Hole sizes from 4 mm to 125 mm
- Diameters from 200 mm to 450 mm

### Electroformed sheet

- ISO 3310-3, ASTM E161
- Nominal sizes from 5  $\mu$ m to 500  $\mu$ m
- Diameters from 76,2 mm to 200 mm



## Documentation of sieve conformity

### Inspection documents according to DIN EN 10204

#### Compliance Certificate 2.1

If no specific request has been made each NEXOPART Test Sieve is delivered with a Declaration of Certificate according to EN 10204.

#### Inspection or Calibration Certificate 3.1

If desired NEXOPART Test Sieves may be delivered with an Inspection Certificate 3.1 according to EN 10204 with measuring results of a specific inspection. It can be carried out as an **inspection** or **calibration** service according to ISO 3310 or ASTM E11. A calibration service requires to measure up to three times as many aperture widths compared to an inspection service.

- Certification of **new** test sieves of metal wire cloth or perforated plates

Diameter	≤ 203 mm	≤ 315 mm	≤ 450 mm
Article-No.	206696946	206696861	206696960
EURO/piece	37.00	66.00	97.00

- Calibration of **new** test sieves of metal wire cloth or perforated plates

Diameter	≤ 203 mm	≤ 315 mm	≤ 450 mm
Article-No.	206697059	206697035	206697042
EURO/Spiece	72.00	159.00	284.00

- Certification of **used** test sieves of metal wire cloth or perforated plates

Prices as above plus operating expense 210.00€ / order

- Certification and Calibration of test sieves through our on Site service

see page 56

## Calibration laboratory

carried out by the accredited calibration laboratory HAVER & BOECKER

### Accredited calibration laboratory for test sieves with metal wire cloth according to DIN EN ISO / IEC 17025.

Accreditation was carried out by the „Deutsche Akkreditierungsstelle GmbH“ (German Accreditation Office – Dakks).

The calibration will be performed in accordance to ISO 3310-1.

- Accredited calibration of **new** test sieves of metal wire cloth in the calibration laboratory in Oelde

Diameter	≤ 203 mm	≤ 315 mm	≤ 450 mm
Article-No.	206697271	206697301	206697318
EURO/Spiece	78.00	174.00	309.00

- Accredited calibration of **used** test sieves of metal wire cloth in the calibration laboratory in Oelde

Prices as above plus operating expense 250.00€ / order



Please note:

The test sieves have to be cleaned by the customer. They have to be free from any contaminations. Otherwise, we may have to charge additional costs.

When sending in, please submit a declaration of no objection.

This, as well as the return slip, must be requested from your contact person on the sales team.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Ø 50 mm  
↑ 25 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204) Article-No. 206696946 EURO / piece: 37,00

Calibration (DIN EN 10204) Article No. 206697059 EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025 Article No. 206697271 EURO / piece 78,00

Nominal size w / mm	Metal Wire Cloth made from Stainless Steel DIN ISO 3310-1		No.	ASTM E11	
	Article-No.	€ / Piece		Article-No.	€ / Piece
4	206157041	109	5	206157058	109
2.8	206157072	109	7	206157089	109
2.5	206161055	109		211248758	109
2.36	206161079	109	8	206161086	109
2.24	206161109	109		211248765	109
2	206157102	109	10	206157119	109
1.8	206161123	109		211248772	109
1.7	206161147	109	12	206161154	109
1.6	206161192	109		211248789	109
1.4	206157133	109	14	206157140	109
1.25	206159205	109		211248741	109
1.18	206161215	109	16	206161222	109
1.12	206161246	109		211248796	109
1	206157164	109	18	206157171	109
w / µm					
900	206161260	109		211248802	109
850	206161284	109	20	206161291	109
800	206161338	109		211248819	109
710	206157195	109	25	206157201	109
630	206161352	109		211248826	109
600	206161376	109	30	206161383	109
560	206161406	109		211248833	109
500	206157225	109	35	206157232	109
450	206161420	109		211248840	109
425	206161444	109	40	206161451	109
400	206147738	109		211248710	109
355	206157256	109	45	206157263	109
315	206161475	109		211248857	109
300	206161499	109	50	206161505	109
280	206161529	109		211248864	109
250	206157300	109	60	206157317	109
224	206161543	109		211248871	109
212	206161567	109	70	206161574	109
200	206161598	109		211248888	109
180	206157331	109	80	206157348	109
160	206161611	109		211248895	109
150	206157645	109	100	206157652	109
140	206161635	109		211248901	109
125	206157362	109	120	206157379	109
112	206161673	109		211248918	109
106	206161697	109	140	206161703	109
100	206147691	109		211248703	109
90	206157393	109	170	206157409	109
80	206147837	109		211248734	109
75	206161727	109	200	206161734	109
71	206161758	109		211248925	109
63	206147806	127	230	206147813	127
56	206161772	127		211248932	127
53	206161796	127	270	206161802	127
50	206147752	127		211248727	127
45	206147660	129	325	206147677	129
40	206161826	132		211248949	132
38	206161840	156	400	206161857	156
36	206161871	156		211248956	156
32	206147776	187	450	206147783	187
25	206149978	215	500	206762412	215
20	206149947	392	635	206149954	392

#### Accessories

Sieve cover	205922183	62
Sieve pan	205922466	62

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€ / Piece		Article-No.	€ / Piece
2.5	206136084	174		211249380	174
2.36	206174451	174	8	206174468	174
2.24	206136091	174		211249397	174
2	206136107	174	10	206136114	174
1.8	206136121	174		211249403	174
1.7	206174680	174	12	206174697	174
1.6	206136138	174		211249410	174
1.4	206174666	174	14	206174673	174
1.25	206136145	174		211249427	174
1.18	206174642	174	16	206174659	174
1.12	206136152	174		211249434	174
1	206136169	174	18	206136176	174
w / μm					
900	206136183	174		211249441	174
850	206174802	174	20	206174819	174
800	206136190	174		211249458	174
710	206174703	174	25	206174710	174
630	206174499	174		211249601	174
600	206174864	174	30	206174871	174
560	206136206	174		211249465	174
500	206174840	174	35	206174857	174
450	206136213	174		211249472	174
425	206174826	174	40	206174833	174
400	206174444	174		211249595	174
355	206174789	174	45	206174796	174
315	206174437	174		211249588	174
300	206174765	174	50	206174772	174
280	206136220	174		211249489	174
250	206174741	174	60	206174758	174
224	206136251	174		211249496	174
212	206136268	174	70	206136275	174
200	206136282	174		211249502	174
180	206174727	174	80	206174734	174
160	206136299	174		211249519	174
150	206136305	174	100	206136312	174
140	206136329	174		211249526	174
125	206174543	174	125	206174550	174
112	206136336	174		211249533	174
106	206174567	174	140	206174574	174
100	206174529	174		211249618	174
90	206174581	174	170	206174598	174
80	206174154	174		211249571	174
75	206136350	174	200	206136367	174
71	206134783	174		211249373	174
63	206174604	182	230	206174611	182
56	206136374	184		211249540	184
53	206174628	189	270	206174635	189
50	206174536	195		211249625	195
45	206136381	201	325	206136398	201
40	206136404	201		211249557	201
38	206136411	256	400	206136428	256
36	206174147	256		211249564	256
32	206136435	274	450	206136442	274
25	206174123	378	500	206174130	378
20	206174505	685	635	206174512	685

### Accessories

Sieve cover	205922190	91
Sieve pan 76,2x30 mm	205922480	66

Ø 76.2 mm = 3"  
↑ 25 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€ / Piece		Article-No.	€ / Piece
2.5	206142306	127		211241889	127
2.36	206142399	127	8	206142405	127
2.24	206142450	127		211241926	127
2	206142054	127	10	206142061	127
1.8	206142474	127		211241933	127
1.7	206141859	127	12	206141866	127
1.6	206142283	127		211241872	127
1.4	206142498	127	14	206142504	127
1.25	206142528	127		211241940	127
1.18	206141880	127	16	206141897	127
1.12	206142566	127		211241957	127
1	206141828	127	18	206141835	127
w / μm					
900	206142580	127		211241964	127
850	206141910	124	20	206141927	124
800	206141521	124		211241827	124
710	206142603	124	25	206142610	124
630	206142634	124		211241971	124
600	206141941	124	30	206141958	124
560	206142658	124		211241988	124
500	206142085	124	35	206142092	124
450	206142672	124		211241995	124
425	206141972	124	40	206141989	124
400	206142344	124		211241902	124
355	206142696	124	45	206142702	124
315	206142368	124		211241919	124
300	206142023	124	50	206142030	124
280	206142726	124		211242008	124
250	206141781	124	60	206141798	124
224	206142740	124		211242015	124
212	206142764	124	70	206142771	124
200	206141576	124		211241834	124
180	206142795	124	80	206142801	124
160	206142320	124		211241896	124
150	206142191	124	100	206142207	124
140	206142825	124		211242022	124
125	206141705	124	125	206141712	124
112	206142849	124		211242039	124
106	206142863	124	140	206142870	124
100	206141682	124		211241858	124
90	206142252	124	170	206142269	124
80	206142894	124		211242046	124
75	206141651	124	200	206141668	124
71	206142917	124		211242053	124
63	206141620	127	230	206141637	127
56	206142948	130		211242060	130
53	206142160	134	270	206142177	134
50	206142146	138		211241865	138
45	206141545	159	325	206141552	159
40	206141606	162		211241841	162
38	206142221	231	400	206142238	231
36	206142962	238		211242077	238
32	206142115	249	450	206142122	249
25	206142986	380	500	206142993	380
20	206141736	709	635	206141743	709

### Accessories

Sieve cover	205922206	94
Sieve pan 100x30 mm	205922503	77
Intermediate pan 100x45 mm	211088163	74
Sealing ring PVC	205921841	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 100 mm  
↑ 45 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€ / Piece		Article-No.	€ / Piece

2.5	206144430	143		211242084	143
2.36	206157737	143	8	206648884	143
2.24	206144454	143		211242091	143
2	206144478	143	10	206648471	143
1.8	206144492	143		211242107	143
1.7	206154804	143	12	206648853	143
1.6	206158154	143		211242336	143
1.4	206144539	143	14	206648488	143
1.25	206144553	143		211242114	143
1.18	206154781	143	16	206648846	143
1.12	206157485	143		211242213	143
1	206144577	143	18	206648495	143

w / µm

900	206157461	139		211242206	139
850	206158178	139	20	206648983	139
800	206144591	139		211242121	139
710	206144720	139	25	206648518	139
630	206144614	139		211242138	139
600	206147400	139	30	206648594	139
560	206157751	139		211242237	139
500	206144645	139	35	206648501	139
450	206157782	139		211242244	139
425	206144980	139	40	206648556	139
400	206144669	139		211242145	139
355	206144942	139	45	206648549	139
315	206144683	139		211242152	139
300	206147387	139	50	206648587	139
280	206145031	139		211242176	139
250	206157805	139	60	206648891	139
224	206157829	139		211242251	139
212	206144928	139	70	206648532	139
200	206144706	139		211242169	139
180	206144904	139	80	206648525	139
160	206147363	139		211242183	139
150	206145017	139	100	206648570	139
140	206157843	139		211242268	139
112	206157867	139		206648990	139
106	206157881	139	140	211242275	139
100	206157706	139		206648907	139
90	206157447	139	170	211242220	139
80	206157911	139		206648877	139
75	206157935	139	200	211242282	139
71	206157959	139		206648914	139
63	206147615	143	230	211242299	139
56	206157973	145		206648600	143
53	206157997	151	270	211242305	145
50	206157423	156		206648921	151
45	206158017	182	325	211242190	156
40	206158031	189		206648938	182
38	206158055	244	400	211242312	189
36	206158079	254		206648945	244
32	206158093	274	450	211242329	254
25	206158116	457	500	206648969	457
20	206158130	766	635	206648976	766

### Accessories

Sieve cover	205922213	110
Sieve pan	205922527	90
Sealing ring PVC	205921858	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 120 mm  
↓ 40 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€ / Piece		Article-No.	€ / Piece

2.5	206143013	143		211242367	143
2.36	206143037	143	8	206143044	143
2.24	206143068	143		211242374	143
2	206143099	143	10	206143105	143
1.8	206143129	143		211242381	143
1.7	206143143	143	12	206143150	143
1.6	206143174	143		211242398	143
1.4	206143198	143	14	206143204	143
1.25	206168481	143		211242602	143
1.18	206143228	143	16	206143235	143
1.12	206143273	143		211242404	143
1	206143297	143	18	206143303	143

w / µm

900	206143327	139		211242411	139
850	206143341	139	20	206143358	139
800	206143372	139		211242428	139
710	206143396	139	25	206143402	139
630	206143433	139		211242435	139
600	206143457	139	30	206143464	139
560	206143488	139		211242442	139
500	206143501	139	35	206143518	139
450	206143532	139		211242459	139
425	206143556	139	40	206143563	139
400	206143587	139		211242466	139
355	206143600	139	45	206143617	139
315	206143631	139		211242473	139
300	206143655	139	50	206143662	139
280	206143686	139		211242480	139
250	206143709	139	60	206143716	139
224	206143730	139		211242497	139
212	206143754	139	70	206143761	139
200	206143785	139		211242503	139
180	206143808	139	80	206143815	139
160	206143846	139		211242510	139
150	206143860	139	100	206143877	139
140	206143891	139		211242527	139
125	206143914	139	120	206143921	139
112	206143945	139		211242534	139
106	206143969	139	140	206143976	139
100	206144010	139		211242541	139
90	206144034	139	170	206144041	139
80	206142436	139		211242350	139
75	206144065	139	200	206144072	139
71	206144096	139		211242558	139
63	206144119	143	230	206144126	143
56	206144140	145		211242565	145
53	206144164	151	270	206144171	151
50	206144201	156		211242572	156
45	206144225	182	325	206144232	182
40	206144256	189		211242589	189
38	206144270	244	400	206144287	244
36	206144300	254		211242596	254
32	206144324	274	450	206144331	274
25	206144355	457	500	206144362	457
20	206144386	766	635	206144393	766

### Accessories

Sieve cover	205922220	110
Sieve pan	205922541	90
Sealing ring PVC	205921865	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 150 mm  
↓ 50 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / mm	Metal Wire Cloth made from Stainless Steel			Perforated Plate with square holes made from Galvanized Steel			
	DIN ISO 3310-1		No.	ASTM E11		DIN ISO 3310-2	
	Article-No.	€/Piece		Article-No.	€/Piece	Article-No.	€/Piece
22.4					206136480	148	
20					206136497	148	
19					206136510	148	
18					206136527	148	
16					206169518	148	
15							
14					206136534	148	
13.2					206136541	148	
12.5					206169501	148	
11.2	206169365	130	7/16 in.	206169372	130	206169334	148
10	206152282	123		211243432	123	206169051	148
9.5	206160300	123	3/8 in.	206160317	123	206136558	148
9	206169358	123		211243616	123	206169044	148
8	206153708	123	5/16 in.	206153715	123	206169327	148
7.1	206154101	123		211243517	123	206136565	148
6.7	206169563	123	0.265 in.	206169570	123	206136589	148
6.3	206153456	123	1/4 in.	206153463	123	206169495	148
5.6	206154828	123	3.1/2 in.	206154835	123	206169037	148
5	206152206	123		211243425	123	206649379	148
4.75	206157003	123	4	206157010	123	206136602	148
4.5	206154644	123		211243555	123	206141132	148
4	206153807	123	5	206153814	123	206169488	148
3.55	206154842	123		211243562	123		
3.35	206157027	123	6	206157034	123		
3.15	206153852	123		211243494	123		
2.8	206154040	123	7	206154057	123		
2.5	206153982	105		211243500	105		
2.36	206157287	105	8	206157294	105		
2.24	206151971	105		211243418	105		
2	206151896	105	10	206151902	105		
1.8	206157577	105		211243579	105		
1.7	206157539	105	12	206157546	105		
1.6	206153340	105		211243487	105		
1.4	206151827	105	14	206151834	105		
1.25	206153234	105		211243470	105		
1.18	206157508	105	16	206157515	105		
1.12	206169389	105		211243623	105		
1	206151650	105	18	206151667	105		

Ø 200 mm  
↑ 32 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / µm	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
	Article-No.	€/ Piece		Article-No.	€/ Piece
900	206169396	104		211243630	104
850	206161925	104	20	206161932	104
800	206151582	104		211243401	104
710	206151483	104	25	206151490	104
630	206152961	104		211243463	104
600	206161659	104	30	206161666	104
560	206160249	104		211243609	104
500	206151384	104	35	206151391	104
450	206149862	104		211243319	104
425	206161314	104	40	206161321	104
400	206152855	104		211243456	104
355	206151131	104	45	206151148	104
315	206152732	104		211243449	104
300	206155597	104	50	206155603	104
280	206151032	104		211243395	104
250	206150929	104	60	206150936	104
224	206157775	104		211243593	104
212	206156136	104	70	206156143	104
200	206150653	104		211243388	104
180	206150554	104	80	206150561	104
160	206150493	104		211243371	104
150	206161178	104	100	206161185	104
140	206154446	104		211243531	104
125	206150424	104	120	206150431	104
112	206150417	104		211243364	104
106	206161031	104	140	206161048	104
100	206150387	104		211243357	104
90	206150141	104	170	206150158	104
80	206150097	104		211243340	104
75	206160973	104	200	206160980	104
71	206154347	104		211243524	104
63	206150073	104	230	206150080	104
56	206157720	115		211243586	115
53	206160911	115	270	206160928	115
50	206150066	115		211243333	115
45	206152602	140	325	206152619	140
40	206150059	140		211243326	140
38	206162007	204	400	206162014	204
36	206154545	204		211243548	204
32	206150028	211	450	206150035	211
25	206150004	362	500	206150011	362
20	206149916	665	600	206149923	665

Ø 200 mm  
↑ 32 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

### Accessories

Sieve cover	205922237	63
Sieve pan	205922565	85
Intermediate pan	205923692	91
Intermediate ring	205923883	55
Additional pasted seam top Ø 200-203 mm*	205922121	13
Additional pasted seam bottom Ø 200-203 mm*	205922138	13
Sealing ring PVC	205921872	1
Rubber ball	201446515	1
Rubber cube	205332425	1

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / mm	Metal Wire Cloth made from Stainless Steel			Perforated Plate with square holes made from Galvanized Steel			
	DIN ISO 3310-1		No.	ASTM E11		DIN ISO 3310-2	
	Article-No.	€/Piece		Article-No.	€/Piece	Article-No.	€/Piece
125	206168207	138	5 in.	206168214	138	206169556	154
112	206136732	138		211242770	138	206136619	154
106	206168184	138	4.24 in.	206168191	138	206136626	154
100	206160812	138	4 in.	206160829	138	206136657	154
90	206166524	138	3.1/2 in.	206166531	138	206169532	154
80	206148605	138		211243296	138	206136664	154
75	206149305	138	3 in.	206149312	138	206136671	154
71	206136596	138		211242763	138	206136688	154
63	206148346	138	2.1/2 in.	206148353	138	206169112	154
56	206148698	138		211243302	138	206169310	154
53	206168160	138	2.12 in.	206168177	138	206136695	154
50	206148230	138	2 in.	206148247	138	206169587	154
45	206148148	138	1.3/4 in.	206148155	138	206169303	154
40	206147912	138		211243289	138	206169471	154
37.5	206149596	138	1.1/2 in.	206149602	138	206169549	154
35.5	206147899	138		211243272	138	206169297	154
31.5	206147875	138	1.1/4 in.	206147882	138	206169105	148
28	206147851	138		211243265	138	206169235	148
26.5	206168146	138	1.06 in.	206168153	138	206136701	148
25	206147714	138	1 in.	206147721	138	206169228	148
22.4	206147646	138	7/8 in.	206147653	138	206169211	148
20	206147639	130		211243258	130	206169129	148
19	206149657	130	3/4 in.	206149664	130	206169259	148
18	206147585	130		211243241	130	206169204	148
16	206147561	130	5/8 in.	206147578	130	206169099	148
14	206147554	130		211243234	130	206169198	148
13.2	206166562	130	0.530 in.	206166579	130	206136718	148
12.5	206147530	130	1/2 in.	206147547	130	206169181	148
11.2	206147493	130	7/16 in.	206147509	130	206169174	148
10	206147486	123		211243227	123	206169167	148
9.5	206166586	123	3/8 in.	206166593	123	206174482	148
9	206147479	123		211243210	123	206169136	148
8	206147349	123	5/16 in.	206147356	123	206169075	148
7.1	206147318	123		211243203	123	206169280	148
6.7	206166548	123	0.265 in.	206166555	123	206136725	148
6.3	206147240	123	1/4 in.	206147257	123	206169273	148
5.6	206147172	123	3.1/2 in.	206147189	123	206169150	148
5	206147011	123		211243197	123	206169266	148
4.75	206166074	123	4	206166081	123	206136763	148
4.5	206146953	123		211243180	123	206169143	148
4	206146885	123	5	206146892	123	206169068	148
3.55	206146663	123		211243173	123		
3.35	206165930	123	6	206165947	123		
3.15	206146571	123		211243166	123		
2.8	206146489	123	7	206146496	123		
2.5	206146366	105		211243159	105		
2.36	206166463	105	8	206166470	105		
2.24	206146113	105		211243142	105		
2	206146007	105	10	206146014	105		
1.8	206145901	105		211243135	105		
1.7	206165626	105	12	206165633	105		
1.6	206145642	105		211243128	105		
1.4	206145543	105	14	206145550	105		
1.25	206145437	105		211243111	105		
1.18	206165602	105	16	206165619	105		
1.12	206145178	105		211243104	105		
1	206145109	105	18	206145116	105		

Ø 200 mm  
↑ 50 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / µm	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
	Article-No..	€/ Piece		Article-No..	€/ Piece
900	206145079	104		211243098	104
850	206165589	104	20	206165596	104
800	206145000	104		211243081	104
710	206144966	104	25	206144973	104
630	206144874	104		211243074	104
600	206165473	104	30	206165480	104
560	206144867	104		211243067	104
500	206144829	104	35	206144836	104
450	206144744	104		211243050	104
425	206165343	104	40	206165350	104
400	206144638	104		211243043	104
355	206144515	104	45	206144522	104
315	206144416	104		211243036	104
300	206165176	104	50	206165183	104
280	206144195	104		211243029	104
250	206143990	104	60	206144003	104
224	206143839	104		211243012	104
212	206164957	104	70	206164964	104
200	206143426	104		211243005	104
180	206143259	104	80	206143266	104
160	206143082	104		211242992	104
150	206164667	104	100	206164674	104
140	206142931	104		211242985	104
125	206142542	104	120	206142559	104
112	206142429	104		211242978	104
106	206164520	104	140	206164537	104
100	206142382	104		211242961	104
90	206142009	104	170	206142016	104
80	206141811	104		211242954	104
75	206164469	104	200	206164476	104
71	206141590	104		211242947	104
63	206141453	104	230	206141460	104
56	206141422	115		211242930	115
53	206164353	115	270	206164360	115
50	206141415	115		211242923	115
45	206141330	140	325	206141347	140
40	206141309	140		211242916	140
38	206164315	204	400	206164322	204
36	206141262	204		211242909	204
32	206141163	211	450	206141170	211
25	206141095	362	500	206141101	362
20	206140845	665	635	206140852	665

### Accessories

Sieve cover	205922237	63
Sieve pan	205922589	51
Sieve pan with discharge nozzle for wet sieving	205922824	187
Intermediate pan	205923715	91
Deaeration ring 200x50 mm	205922046	112
Intermediate ring	205923876	55
Additional pasted seam top Ø 200-203 mm*	205922121	13
Additional pasted seam bottom Ø 200-203 mm*	205922138	13
Sealing ring PVC	205921872	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 200 mm  
↑ 50 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / mm	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
	Article-No.	€ / Piece		Article-No.	€ / Piece
11.2	206136824	130	7/16 in.	206136831	130
10	206169648	123		211244897	123
9.5	206168641	123	3/8 in.	206168658	123
9	206136848	123		211243944	123
8	206168559	123	5/16 in.	206168566	123
7.1	206136855	123		211243951	123
6.7	206168573	123	0.265 in.	206168580	123
6.3	206136862	123		206136879	123
5.6	206168412	123	3.1/2 in.	206168429	123
5	206169785	123		211244927	123
4.75	206167255	123	4	206167262	123
4.5	206136886	123		211243968	123
4	206169624	123	5	206169631	123
3.55	206136893	123		211243975	123
3.35	206167279	123	6	206167286	123
3.15	206169792	123		211244934	123
2.8	206167620	123	7	206167637	123
2.5	206168405	105		211244798	105
2.36	206167293	105	8	206167309	105
2.24	206136916	105		211243982	105
2	206169808	105	10	206169815	105
1.8	206168399	105		211244781	105
1.7	206167316	105	12	206167323	105
1.6	206169822	105		211244941	105
1.4	206168375	105	14	206168382	105
1.25	206168368	105		211244774	105
1.18	206167330	105	16	206167347	105
1.12	206136923	105		211243999	105
1	206169761	105	18	206169778	105

Ø 203 mm = 8"  
↑ 32 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204) Article-No. 206696946 EURO / piece: 37,00

Calibration (DIN EN 10204) Article No. 206697059 EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025 Article No. 206697271 EURO / piece 78,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / µm	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
	Article-No.	€ / Piece		Article-No.	€ / Piece
900	206136930	104		211244002	104
850	206167354	104	20	206167361	104
800	206168351	104		211244767	104
710	206168337	104	25	206168344	104
630	206168320	104		211244750	104
600	206167378	104	30	206167385	104
560	206168597	104		211244873	104
500	206169747	104	35	206169754	104
450	206134820	104		211243654	104
425	206167392	104	40	206167408	104
400	206168306	104		211244743	104
355	206167576	104	45	206167583	104
315	206169730	104		211244910	104
300	206167415	104	50	206167422	104
280	206136947	104		211244019	104
250	206168276	104	60	206168283	104
224	206136954	104		211244026	104
212	206167439	104	70	206167446	104
200	206169723	104		211244903	104
180	206167552	104	80	206167569	104
160	206167668	104		211244613	104
150	206167453	104	100	206167460	104
140	206136961	104		211244033	104
125	206169709	104	120	206169716	104
112	206136978	104		211244040	104
106	206167477	104	140	206167484	104
100	206168269	104		211244736	104
90	206169686	104	170	206169693	104
80	206136992	104		211244057	104
75	206167538	104	200	206167545	104
71	206137005	104		211244064	104
63	206168245	104	230	206168252	104
56	206137012	115		211244071	115
53	206167514	115	270	206167521	115
50	206168436	115		211244804	115
45	206167491	140	325	206167507	140
40	206137029	140		211244088	140
38	206167590	204	400	206167606	204
36	206137036	204		211244095	204
32	206137043	211	450	206137050	211
25	206168443	362	500	206168450	362
20	206137081	665	635	206137098	665

Ø 203 mm = 8"  
↑ 32 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 E acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204) Article-No. 206696946 EURO / piece: 37,00

Calibration (DIN EN 10204) Article No. 206697059 EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025 Article No. 206697271 EURO / piece 78,00

### Accessories

Sieve cover	205922244	63
Sieve pan	205922602	85
Intermediate pan	205923739	91
Intermediate ring	205924064	55
Additional pasted seam top Ø 200-203 mm*	205922121	13
Additional pasted seam bottom Ø 200-203 mm*	205922138	13
Sealing ring PVC	205921872	1
Rubber ball	201446515	1
Rubber cube	205332425	1

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / mm	Metal Wire Cloth made from Stainless Steel			Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		No.	ASTM E11		DIN ISO 3310-2
	Article-No.	€/Piece		Article-No.	€/Piece	Article-No.
125	206136749	138	5 in.	206136756	138	
112	206137104	138		211244101	138	
106	206137111	138	4.24 in.	206137128	138	
100	206137135	138	4 in.	206137142	138	
90	206137166	138	3.1/2 in.	206137173	138	
80	206137180	138		211244118	138	
75	206137197	138	3 in.	206137203	138	
71	206137593	138		211244231	138	
63	206137210	138	2.1/2 in.	206137227	138	
56	206137234	138		211244125	138	
53	206137241	138	2.12 in.	206137258	138	
50	206137265	138	2 in.	206137272	138	
45	206168221	138	1.3/4 in.	206168238	138	
40	206137289	138		211244132	138	
37.5	206137296	138	1.1/2 in.	206137302	138	
35.5	206137319	138		211244149	138	
31.5	206163639	138	1.1/4 in.	206163646	138	
28	206162373	138		211244545	138	
26.5	206137326	138	1.06 in.	206137333	138	
25	206164001	138	1 in.	206164018	138	
22.4	206163196	138	7/8 in.	206163202	138	206169457 148
20	206168467	130		211244811	130	206137487 148
19	206163745	130	3/4 in.	206163752	130	206762535 148
18	206137340	130		211244156	130	206137494 148
16	206167071	130	5/8 in.	206167088	130	206169440 148
14	206140784	130		211244248	130	206137500 148
13.2	206137357	130	0.530 in.	206137364	130	206762443 148
12.5	206168122	130	1/2 in.	206168139	130	206137524 148
11.2	206163134	130	7/16 in.	206163141	130	206169426 148
10	206167095	123		211244552	123	206137531 148
9.5	206168108	123	3/8 in.	206168115	123	206648259 148
9	206167651	123		211244606	123	206137548 148
8	206168061	123	5/16 in.	206168078	123	206137555 148
7.1	206167644	123		211244590	123	206137562 148
6.7	206167101	123	0.265 in.	206167118	123	206648266 148
6.3	206167750	123	1/4 in.	206167767	123	206648273 148
5.6	206167125	123	3.1/2 in.	206167132	123	206137579 148
5	206167194	123		211244569	123	206169464 148
4.75	206167149	123	4	206167156	123	206648280 148
4.5	206137388	123		211244163	123	206137586 148
4	206168030	123	5	206168047	123	206169433 148
3.55	206168733	123		211244880	123	
3.35	206166609	123	6	206166616	123	
3.15	206167972	123		211244682	123	
2.8	206166630	123	7	206166647	123	
2.5	206168542	105		211244682	105	
2.36	206166661	105	8	206166678	105	
2.24	206137395	105		211244170	105	
2	206167729	105	10	206167736	105	
1.8	206168535	105		211244859	105	
1.7	206166685	105	12	206166692	105	
1.6	206168023	105		211244705	105	
1.4	206166715	105	14	206166722	105	
1.25	206168528	105		211244842	105	
1.18	206166746	105	16	206166753	105	
1.12	206137401	105		211244187	105	
1	206167705	105	18	206167712	105	

Ø 203 mm = 8"  
↑ 50 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size w / µm	Metal Wire Cloth made from Stainless Steel			ASTM E11	
	DIN ISO 3310-1		No.	Article-No.	€/ Piece
900	206137418	104			211244194
850	206167040	104	20	206167057	104
800	206167965	104		211141394	104
710	206166777	104	25	206166784	104
630	206167958	104		211244675	104
600	206167019	104	30	206167026	104
560	206168504	104		211244835	104
500	206167828	104	35	206167835	104
450	206137425	104		211422110	104
425	206166982	104	40	206166999	104
400	206167880	104		211244668	104
355	206166791	104	45	206166807	104
315	206167873	104		211244651	104
300	206166821	104	50	206166838	104
280	206150486	104		211244255	104
250	206167798	104	60	206167804	104
224	206137432	104		211244200	104
212	206166852	104	70	206166869	104
200	206167866	104		211244644	104
180	206167897	104	80	206167903	104
160	206167859	104		211244637	104
150	206166876	104	100	206166883	104
140	206137463	104		211244217	104
125	206167774	104	120	206167781	104
112	206137470	104		211244224	104
106	206166906	104	140	206166913	104
100	206167675	104		211244620	104
90	206167682	104	170	206167699	104
80	206167613	104		211244583	104
75	206166920	104	200	206166937	104
71	206168085	104		211244712	104
63	206167927	104	230	206167934	104
56	206168092	115		211244729	115
53	206166944	115	270	206166951	115
50	206167989	115		211244699	115
45	206167996	140	325	206168009	140
40	206167224	140		211244576	140
38	206166968	204	400	206166975	204
36	206168474	204		211244828	204
32	206167170	211	450	206167187	211
25	206167200	362	500	206167217	362
20	206167231	665	600	206167248	665

### Accessories

Sieve cover	205922244	63
Sieve pan	205922626	51
Sieve pan with discharge nozzle	205922831	187
Intermediate pan	205923753	91
Deaeration ring 203x50 mm	205922053	112
Intermediate ring	205923890	55
Additional pasted seam top Ø 200-203 mm*	205922121	13
Additional pasted seam bottom Ø 200-203 mm*	205922138	13
Sealing ring PVC	205921872	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 203 mm = 8"  
↑ 50 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel Quality GOLD\*

Nominal size	Stainless Steel Frame & Metal Wire Cloth made from galvanized steel		ISO 3310-1 / ASTM E11		Quality GOLD	
	w / mm	Article-No.	€ / Piece	For any aperture size	For average aperture size	For any aperture size

2.5	206133137	478	0,238	0,073	0,019	0,0365
2.36	206133144	478	0,228	0,069	0,114	0,0345
2.24	206133168	478	0,220	0,065	0,11	0,0325
2	206133175	478	0,204	0,059	0,102	0,0295
1.8	206133199	478	0,189	0,053	0,0945	0,0265
1.7	206133205	478	0,182	0,050	0,091	0,025
1.6	206133229	478	0,175	0,047	0,0875	0,0235
1.4	206133236	478	0,159	0,042	0,0795	0,021
1.25	206133250	478	0,148	0,038	0,074	0,019
1.18	206133267	478	0,142	0,036	0,071	0,018
1.12	206133281	478	0,137	0,034	0,0685	0,017
1	206133298	478	0,127	0,030	0,0635	0,015

w / μm						
900	206133311	464	118,3	27,6	59,15	13,8
850	206133328	464	113,9	26,2	56,95	13,1
800	206133342	464	109,4	24,8	54,7	12,4
710	206133359	464	101,1	22,2	50,55	11,1
630	206133373	464	93,5	19,9	46,75	9,95
600	206133380	464	90,6	19	45,3	9,5
560	206133403	464	86,6	17,9	43,3	8,95
500	206133410	464	80,5	16,2	40,25	8,1
450	206133434	464	75,2	14,7	37,6	7,35
425	206133441	464	72,5	14	36,25	7
400	206133465	464	69,8	13,3	34,9	6,65
355	206133472	464	64,7	12	32,35	6
315	206133496	464	60	10,8	30	5,4
300	206133502	464	58,2	10,4	29,1	5,2
280	206133526	464	55,8	9,8	27,9	4,9
250	206133533	464	52	8,9	26	4,45
224	206133557	464	48,7	8,1	24,35	4,05
212	206133564	464	47,1	7,8	23,55	3,9
200	206133588	464	45,4	7,4	22,7	3,7
180	206133595	464	42,7	6,8	21,35	3,4
160	206133618	464	39,8	6,3	19,9	3,15
150	206133625	464	38,3	6	19,15	3
140	206133649	464	36,8	5,7	18,4	2,85
125	206133656	464	34,5	5,2	17,25	2,6
112	206133670	464	32,4	4,8	11,5	2,4
106	206133687	464	31,4	4,7	15,7	2,35
100	206133700	464	30,4	4,5	15,2	2,25
90	206133717	464	28,6	4,2	14,3	2,1
80	206133731	464	26,8	3,9	13,4	1,95
75	206133748	464	25,9	3,7	12,95	1,85
71	206133762	464	25,1	3,6	12,55	1,8
63	206133779	472	23,6	3,4	11,8	1,7
56	206133793	528	22,1	3,2	11,05	1,6
53	206133809	528	21,5	3,1	10,75	1,55
50	206133823	528	20,9	3	10,45	1,5
45	206133830	650	19,7	2,8	9,85	1,4
40	206133854	650	18,6	2,7	9,3	1,35
38	206133861	966	18,1	2,6	9,05	1,3
36	206133885	966	17,6	2,6	8,8	1,3
32	206133892	1.012	16,6	2,4	8,3	1,2
25	206133915	1.705	14,8	2,2	7,4	1,1

Ø 200 mm  
↑ 50 mm nominal height



With Inspection  
Certificate 3.1 according  
to DIN EN 10204

With Calibration  
Certificate according to  
DIN EN ISO / IEC 17025 on  
request  
(see on page 04)

Y:  
Tolerance for the  
arithmetic mean value  
of the sum of all  
measured aperture sizes  
(w).  
measured separately in  
warp and weft direction.

X:  
Tolerance for the single  
values of all measured  
aperture sizes (w). No  
aperture size measured  
in warp and weft  
direction shall exceed x.

\* tolerances of openings  
reduced by 50%  
compared with ISO  
3310-1

# Your reliable companion in the laboratory

We cover a wide range of your applications, including sand, soil, construction materials, food products, active pharmaceutical ingredients, recycling materials, chemical production, plastics, color pigments, toners, speciality coatings and much more.



Medicine and pharmaceuticals



Construction materials and asphalt



Chemicals



Fertilizers



Refractories



Animal feed



Research and education



Granulates and pellets



Paint powders and pigments



Food, sugar and salt



Sand, crushed stones and gravel



Grinding and blasting abrasive

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	No.	Article-No.	€/Piece	Article-No.	€/Piece
125	206152718	191	5 in.	206152725	191	206153722	212
112	206152749	191		211244958	191	206153739	212
106	206152756	191	4.24 in.	206152763	191	206648730	212
100	206152770	191	4 in.	206152787	191	206153746	212
90	206152794	191	3.1/2 in.	206152800	191	206648747	212
80	206152817	191		211244965	191	206153760	212
75	206152824	191	3 in.	206152831	191	206648754	212
71	206152848	191		211244972	191	206153777	212
63	206152862	191	2.1/2 in.	206152879	191	206153784	212
56	206152886	191		211244989	191	206153791	212
53	206152893	191	2.1/2 in.	206152909	191	206648761	212
50	206152916	191	2 in.	206152923	191	206153821	212
45	206152930	191	1.3/4 in.	206152947	191	206153838	212
40	206152954	191		211244996	191	206153845	212
37.5	206152978	191	1.1/2 in.	206152985	191	206648778	212
35.5	206152992	191		211245009	191	206153869	212
31.5	206153005	191	1.1/4 in.	206153012	191	206153876	212
28	206153029	191		211245016	191	206153883	212
26.5	206153036	191	1.06 in.	206153043	191	206648785	212
25	206153050	191	1 in.	206153067	191	206153890	212
22.4	206153074	191	7/8 in.	206153081	191	206153906	212
20	206153098	171		211245023	171	206153913	212
19	206153104	171	3/4 in.	206153111	171	206648792	212
18	206153128	171		211245030	171	206153920	212
16	206153135	171	5/8 in.	206153142	171	206153937	212
14	206153159	171		211245047	171	206153944	212
13.2	206153166	171	0.530 in.	206153173	171	206648808	212
12.5	206153180	171	1/2 in.	206153197	171	206153951	212
11.2	206153203	171	7/16 in.	206153210	171	206153968	212
10	206153227	171		211245054	171	206153975	212
9.5	206153241	171	3/8 in.	206153258	171	206648815	212
9	206153265	171		211245061	171	206153999	212
8	206153272	171	5/16 in.	206153289	171	206154002	212
7.1	206153296	171		211245078	171	206154019	212
6.7	206153302	171	0.265 in.	206153319	171	206648822	212
6.3	206153326	171	1/4 in.	206153333	171	206154026	212
5.6	206153357	171	3.1/2 in.	206153364	171	206154033	212
5	206153371	171		211245085	171	206154064	212
4.75	206153388	171	4	206153395	171	206648839	212
4.5	206153401	171		211245092	171	206154071	212
4	206153418	171	5	206153425	171	206154088	212
3.55	206153432	171		211245108	171		
3.35	206153470	171	6	206153487	171		
3.15	206153494	148		211245115	148		
2.8	206153500	148	7	206153517	148		
2.5	206153524	148		211245122	148		
2.36	206153531	148	8	206153548	148		
2.24	206153555	148		211245139	148		
2	206153562	148	10	206153579	148		
1.8	206153586	148		211245146	148		
1.7	206153593	148	12	206153609	148		
1.6	206153616	148		211245153	148		
1.4	206153623	148	14	206153630	148		
1.25	206153647	148		211245160	148		
1.18	206153654	148	16	206153661	148		
1.12	206153678	148		211245177	148		
1	206153685	148	18	206153692	148		

Ø 250 mm  
↑ 55 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece
900	206154095	148		211245184	148
850	206154118	148	20	206154125	148
800	206154132	148		211245191	148
710	206154149	148	25	206154156	148
630	206154163	148		211245207	148
600	206154170	148	30	206154187	148
560	206154194	148		211245214	148
500	206154200	148	35	206154217	148
450	206154224	148		211245221	148
425	206154231	148	40	206154248	148
400	206154255	148		211245238	148
355	206154262	148	45	206154279	148
315	206154286	148		211245245	148
300	206154293	148	50	206154309	148
280	206154316	148		211245252	148
263	206154323	148	60	206154330	148
224	206154354	148		211245269	148
212	206154361	148	70	206154378	148
200	206154385	148		211245276	148
180	206154392	148	80	206154408	148
160	206154415	148		211245283	148
150	206154422	148	100	206154439	148
140	206154453	148		211245290	148
125	206154460	148	120	206154477	148
112	206154484	148		211245306	148
106	206154491	148	140	206154507	148
100	206154514	148		211245313	148
90	206154521	148	170	206154538	148
80	206154552	148		211245320	148
75	206154569	148	200	206154576	148
71	206154583	148		211245337	148
63	206154590	148	230	206154606	148
56	206154613	162		211245344	162
53	206154620	162	270	206154637	162
50	206154651	162		211245351	162
45	206154668	191	325	206154675	191
40	206154682	191		211245368	191
38	206154699	262	400	206154705	262
36	206154712	274		211245375	274
32	206154729	290	450	206154736	290
25	206154743	451	500	206154750	451
20	206154767	909	635	206154774	909

### Accessories

Sieve cover	205922251	106
Sieve pan	205922640	103
Sieve pan with discharge nozzle	205922848	251
Intermediate ring	205923906	75
Additional pasted seam top Ø 250-315 mm*	205922145	16
Additional pasted seam bottom Ø 250-315 mm*	205922152	16
Sealing ring PVC	205921889	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 250 mm  
↑ 55 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN N 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00.

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel			Perforated Plate with square holes made from Galvanized Steel			
	DIN ISO 3310-1		No.	ASTM E11		DIN ISO 3310-2	
w / mm	Article-No.	€/Piece		Article-No.	€/Piece	Article-No.	€/Piece
125			5 in.		206648297	233	
112					206138378	233	
106			4.24 in.		206648303	233	
100			4 in.		206648310	233	
90			3.1/2 in.		206648327	233	
80					206138392	233	
75			3 in.		206648334	233	
71					206138408	233	
63			2.1/2 in.		206648341	233	
56					206138415	233	
53			2.12 in.		206138422	233	
50			2 in.		206648358	233	
45			1.3/4 in.		206138439	233	
40					206138446	233	
37.5			1.1/2 in.		206648365	233	
35.5					206138453	233	
31.5			1.1/4 in.		206138460	233	
28					206138477	233	
22.4			7/8 in.		206138491	233	
20					206138507	233	
19			3/4 in.		206648396	233	
18					206138514	233	
16			5/8 in.		206138521	233	
14					206138545	233	
13.2			0.530 in.		206138552	233	
12.5			1/2 in.		206138569	233	
11.2			7/16 in.		206138576	233	
10				211246532	233	233	
9.5			3/8 in.		206648402	233	
9				211246525	233	233	
8			5/16 in.		206138613	233	
7.1					206138620	233	
6.7			0.265 in.		206138637	233	
6.3			1/4 in.		206138644	233	
5.6	206174277	212	3.1/2 in.		206138651	233	
5	206137647	212		211245399	212	206138668	233
4.75	206137654	212	4	206137661	212	206648419	233
4.5	206137678	212		211245405	212	206138675	233
4	206174093	212	5	206174109	212	206174116	233
3.55	206137685	212		211245412	212		
3.35	206137708	212	6	206137715	212		
3.15	206137722	212		211245429	212		
2.8	206138682	212	7	206138699	212		
2.5	206137739	178		211245436	178		
2.36	206137746	178	8	206137753	178		
2.24	206137760	178		211245443	178		
2	206174284	178	10	206174291	178		
1.8	206137777	178		211245450	178		
1.7	206137784	178	12	206137791	178		
1.6	206137821	178		211245467	178		
1.4	206137838	178	14	206137845	178		
1.25	206137852	178		211245474	178		
1.18	206137869	178	16	206137876	178		
1.12	206137883	178		211245481	178		
1	206173317	178	18	206173324	178		

Ø 300 mm (297,5 mm)  
↓ 30 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / µm	Article-No.	€/Piece		Article-No.	€/Piece
900	206137890	178		211245498	178
850	206137913	178	20	206137920	178
800	206137937	178		211245504	178
710	206137944	178	25	206137951	178
630	206137968	178		211245511	178
600	206137975	178	30	206137982	178
560	206137999	178		211245528	178
500	206173294	178	35	206173300	178
450	206138019	178		211245535	178
425	206138026	178	40	206138033	178
400	206138040	178		211245542	178
355	206138057	178	45	206138064	178
315	206138071	178		211245559	178
300	206138088	178	50	206138095	178
280	206138101	178		211245566	178
250	206173270	178	60	206173287	178
224	206138118	178		211245573	178
212	206138125	178	70	206138132	178
200	206138149	178		211245580	178
180	206138156	178	80	206138163	178
160	206138170	178		211245597	178
150	206138187	178	100	206138194	178
140	206138200	178		211245603	178
125	206173256	178	120	206173263	178
112	206138217	178		211245610	178
106	206138224	178	140	206138231	178
100	206138248	178		211245627	178
90	206134547	178	170	206134554	178
80	206138255	178		211245634	178
75	206174079	178	200	206174086	178
71	206138262	178		211245641	178
63	206174253	193	230	206174260	193
56	206138279	208		211245658	208
53	206138286	210	270	206138293	210
50	206138309	213		211245665	213
45	206136039	248	325	206136046	248
40	206163479	248		211246013	248
38	206163486	342	400	206163493	342
36	206163509	356		211246020	356
32	206163516	392	450	206163523	392
25	206163530	595	500	206163547	595
20	206163554	1.063	635	206163561	1.063

### Accessories

Sieve cover	205922268	112
Intermediate ring	206762689	86
Additional pasted seam top Ø 250-315 mm*	205922145	16
Additional pasted seam bottom Ø 250-315 mm*	205922152	16
Sealing ring PVC	205921841	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 300 mm (297,5 mm)  
↓ 30 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel			Perforated Plate with square holes made from Galvanized Steel			
	DIN ISO 3310-1		No.	ASTM E11		DIN ISO 3310-2	
w / mm	Article-No.	€/Piece		Article-No.	€/Piece	Article-No.	€/Piece
125	206138705	238	5 in.	206138712	238	206139764	233
112	206138729	238		211245672	238	206139771	233
106	206138736	238	4.24 in.	206138743	238	206648426	233
100	206138750	238	4 in.	206138767	238	206174222	233
90	206138774	238	3.1/2 in.	206138781	238	206139788	233
80	206138798	238		211245689	238	206139795	233
75	206138804	238	3 in.	206138811	238	206139801	233
71	206138828	238		211245696	238	206139818	233
63	206138835	238	2.1/2 in.	206138842	238	206169679	233
56	206138859	238		211245702	238	206174185	233
53	206138866	238	2.12 in.	206138873	238	206648433	233
50	206138880	238	2 in.	206138897	238	206168764	233
45	206138903	238	1.3/4 in.	206138910	238	206169662	233
40	206138927	238		211245719	238	206168757	233
37.5	206138934	238	1.1/2 in.	206138941	238	206139825	233
35.5	206138958	238		211245726	238	206168290	233
31.5	206138965	238	1.1/4 in.	206138972	238	206168740	233
28	206138989	238		211245733	238	206168313	233
26.5	206138996	238	1.06 in.	206139009	238	206139832	233
25	206139016	238	1 in.	206139023	238	206168726	233
22.4	206139030	212	7/8 in.	206139047	212	206169020	233
20	206139054	212		211245740	212	206168795	233
19	206139061	212	3/4 in.	206139078	212	206139849	233
18	206139085	212		211245757	212	206139856	233
16	206139092	212	5/8 in.	206139108	212	206169006	233
14	206139115	212		211245764	212	206134776	233
13.2	206139122	212	0.530 in.	206139139	212	206648440	233
12.5	206139146	212	1/2 in.	206139153	212	206168719	233
11.2	206139160	212	7/16 in.	206139177	212	206169013	233
10	206139184	212		211245771	212	206168702	233
9.5	206139191	212	3/8 in.	206139207	212	206139863	233
9	206139214	212		211245788	212	206139870	233
8	206139221	212	5/16 in.	206139238	212	206168696	233
7.1	206168856	212		211246044	212	206134813	233
6.7	206139245	212	0.265 in.	206139252	212	206648457	233
6.3	206168863	212	1/4 in.	206168870	212	206168689	233
5.6	206173331	212	3.1/2 in.	206173348	212	206174338	233
5	206139269	212		211245795	212	206134516	233
4.75	206139276	212	4	206139283	212	206139887	233
4.5	206139290	212		211245801	212	206139894	233
4	206174000	212	5	206174017	212	206168672	233
3.55	206139306	212		211245818	212		
3.35	206139313	212	6	206139320	212		
3.15	206168887	212		211246051	212		
2.8	206168603	212	7	206168610	212		
2.5	206134677	178		211245382	178		
2.36	206139337	178	8	206139344	178		
2.24	206139351	178		211245825	178		
2	206168986	178	10	206168993	178		
1.8	206139368	178		211245832	178		
1.7	206139375	178	12	206139382	178		
1.6	206139399	178		211245849	178		
1.4	206168832	178	14	206168849	178		
1.25	206139405	178		211245856	178		
1.18	206139412	178	16	206139429	178		
1.12	206139436	178		211245863	178		
1	206168771	178	18	206168788	178		

Ø 300 mm (297,5 mm)  
↓ 60 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / µm	Article-No.	€/Piece		Article-No.	€/Piece
900	206139443	178		211245870	178
850	206139450	178	20	206139467	178
800	206168801	178		211246037	178
710	206134523	178	25	206134530	178
630	206174215	178		211246501	178
600	206139474	178	30	206139481	178
560	206139498	178		211245887	178
500	206168818	178	35	206168825	178
450	206139504	178		211245894	178
425	206139511	178	40	206139528	178
400	206174208	178		211246495	178
355	206174024	178	45	206174031	178
315	206139542	178		211245900	178
300	206139900	178	50	206139917	178
280	206139559	178		211245917	178
250	206168948	178	60	206168955	178
224	206139566	178		211245924	178
212	206139573	178	70	206139580	178
200	206174192	178		211246488	178
180	206139924	178	80	206139931	178
160	206139597	178		211245931	178
150	206139603	178	100	206139610	178
140	206139627	178		211245948	178
125	206168924	178	120	206168931	178
112	206139634	178		211245955	178
106	206139641	178	140	206139658	178
100	206174048	178		211246471	178
90	206174161	178	170	206174178	178
80	206174413	178		211246518	178
75	206168627	178	200	206168634	178
71	206139665	178		211245962	178
63	206168894	193	230	206168900	193
56	206139672	208		211245979	208
53	206139689	210	270	206139696	210
50	206139702	213		211245986	213
45	206163356	248	325	206163363	248
40	206163370	248		211245993	248
38	206163387	342	400	206163394	342
36	206163400	356		211246006	356
32	206163417	392	450	206163424	392
25	206163431	595	500	206163448	595
20	206163455	1.063	635	206163462	1.063

### Accessories

Sieve cover	205922268	112
Sieve pan	2059222671	106
Sieve pan with discharge nozzle	205922855	258
Intermediate pan	205923777	167
Deaeration ring 300x60 mm	205922060	148
Intermediate ring	205923913	86
Additional pasted seam top Ø 250-315 mm*	205922145	16
Additional pasted seam bottom Ø 250-315 mm*	205922152	16
Sealing ring PVC	205921896	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 300 mm (297,5 mm)  
↓ 60 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	No.	Article-No.	€/Piece	Article-No.	€/Piece
125	206147929	238	5 in.	206147936	238	206648617	233
112	206147943	238		211246556	238	206149572	233
106	206147950	238	4.24 in.	206147967	238	206648624	233
100	206147974	238	4 in.	206147981	238	206648631	233
90	206147998	238	3.1/2 in.	206148001	238	206149589	233
80	206148018	238		211246563	238	206149619	233
75	206148025	238	3 in.	206148032	238	206648648	233
71	206148049	238		211246570	238	206149626	233
63	206148056	238	2.1/2 in.	206148063	238	206149633	233
56	206148070	238		211246587	238	206149640	233
53	206148087	238	2.12 in.	206148094	238	206648655	233
50	206148100	238	2 in.	206148117	238	206149671	233
45	206148124	238	1.3/4 in.	206148131	238	206149688	233
40	206148162	238		211246594	238	206149695	233
37.5	206148179	238	1.1/2 in.	206148186	238	206149701	233
35.5	206148193	238		211246600	238	206149718	233
31.5	206148209	238	1.1/4 in.	206148216	238	206149725	233
28	206148223	238		211246617	238	206149732	233
26.5	206148254	238	1.06 in.	206148261	238	206149749	233
25	206148278	238	1 in.	206148285	238	206648662	233
22.4	206148292	212	7/8 in.	206148308	212	206149756	233
20	206148315	212		211246624	212	206149763	233
19	206148322	212	3/4 in.	206148339	212	206648679	233
18	206148360	212		211246631	212	206149770	233
16	206148377	212	5/8 in.	206148384	212	206149787	233
14	206148391	212		211246648	212	206149794	233
13.2	206148407	212	0.530 in.	206148414	212	206648686	233
12.5	206148421	212	1/2 in.	206148438	212	206149800	233
11.2	206148445	212	7/16 in.	206148452	212	206149817	233
10	206148469	212		211246655	212	206149824	233
9.5	206148476	212	3/8 in.	206148483	212	206648693	233
9	206148490	212		211246662	212	206149831	233
8	206148506	212	5/16 in.	206148513	212	206149848	233
7.1	206148520	212		211246679	212	206149855	233
6.7	206148537	212	0.265 in.	206148544	212	206648709	233
6.3	206148551	212	1/4 in.	206148568	212	206648716	233
5.6	206148575	212	3.1/2 in.	206148582	212	206149879	233
5	206148599	212		211246686	212	206149886	233
4.75	206148612	212	4	206148629	212	206648723	233
4.5	206148636	212		211246693	212	206149893	233
4	206148643	212	5	206148650	212	206149909	233
3.55	206148667	212		211246709	212		
3.35	206148674	212	6	206148681	212		
3.15	206148704	212		211246716	212		
2.8	206148711	212	7	206148728	212		
2.5	206148735	178		211246723	178		
2.36	206148742	178	8	206148759	178		
2.24	206148766	178		211246730	178		
2	206148773	178	10	206148780	178		
1.8	206148797	178		211246747	178		
1.7	206148803	178	12	206148810	178		
1.6	206148827	178		211246754	178		
1.4	206148834	178	14	206148841	178		
1.25	206148858	178		211246761	178		
1.18	206148865	178	16	206148872	178		
1.12	206148889	178		211246778	178		
1	206148896	178	18	206148902	178		

Ø 305 mm = 12"  
↑ 60 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece
900	206148919	178		211246785	178
850	206148926	178	20	206148933	178
800	206148940	178		211246792	178
710	206148957	178	25	206148964	178
630	206148971	178		211246808	178
600	206148988	178	30	206148995	178
560	206149008	178		211246815	178
500	206149015	178	35	206149022	178
450	206149039	178		211246822	178
425	206149046	178	40	206149053	178
400	206149060	178		211246839	178
355	206149077	178	45	206149084	178
315	206149091	178		211246846	178
300	206149107	178	50	206149114	178
280	206149121	178		211246853	178
250	206149138	178	60	206149145	178
224	206149152	178		211246860	178
212	206149169	178	70	206149176	178
200	206149183	178		211246877	178
180	206149190	178	80	206149206	178
160	206149213	178		211246884	178
150	206149220	178	100	206149237	178
140	206149244	178		211246891	178
125	206149251	178	120	206149268	178
112	206149275	178		211246907	178
106	206149282	178	140	206149299	178
100	206149329	178		211246914	178
90	206149336	178	170	206149343	178
80	206149350	178		211246921	178
75	206149367	178	200	206149374	178
71	206149381	178		211246938	178
63	206149398	193	230	206149404	193
56	206149411	208		211246945	208
53	206149428	210	270	206149435	210
50	206149442	213		211246952	213
45	206163578	248	325	206163585	248
40	206163592	248		211246976	248
38	206163608	342	400	206163615	342
36	206163622	356		211246969	356
32	206163653	392	450	206163660	392
25	206163677	595	500	206163684	595
20	206163691	1.063	635	206163707	1.063

### Accessories

Sieve cover	205922312	112
Sieve pan 305x60 mm	205922695	109
Sieve pan with discharge nozzle	205922862	261
Intermediate ring	205923920	86
Deceleration ring 305x60 mm	205922077	157
Additional pasted seam top Ø 250-315 mm*	205922145	16
Additional pasted seam bottom Ø 250-315 mm*	205922152	16
Sealing ring PVC	205921896	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 305 mm = 12"  
↑ 60 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	No.	Article-No.	€/Piece	Article-No.	€/Piece
125	206150509	252	5 in.	206150516	252	206151537	257
112	206150523	252		211246990	252	206151544	257
106	206150530	252	4.24 in.	206150547	252	206151551	257
100	206150578	252	4 in.	206150585	252	206151568	257
90	206150592	252	3.1/2 in.	206150608	252	206151575	257
80	206150615	252		211247003	252	206151599	257
75	206150622	252	3 in.	206150639	252	206151605	257
71	206150646	252		211247010	252	206151612	257
63	206150660	252	2.1/2 in.	206150677	252	206151629	257
56	206150684	252		211247027	252	206151636	257
53	206150691	252	2.1/2 in.	206150707	252	206151643	257
50	206150714	252	2 in.	206150721	252	206151674	257
45	206150738	252	1.3/4 in.	206150745	252	206151681	257
40	206150752	252		211247034	252	206151698	257
37.5	206150769	252	1.1/2 in.	206150776	252	206151704	257
35.5	206150783	252		211247041	252	206151711	257
31.5	206150790	252	1.1/4 in.	206150806	252	206151728	257
28	206150813	252		211247058	252	206151735	257
26.5	206150820	252	1.06 in.	206150837	252	206151742	257
25	206150844	252	1 in.	206150851	252	206151759	257
22.4	206150868	252	7/8 in.	206150875	252	206151766	257
20	206150882	225		211247065	225	206151773	257
19	206150899	225	3/4 in.	206150905	225	206151780	257
18	206150912	225		211247072	225	206151797	257
16	206150943	225	5/8 in.	206150950	225	206151803	257
14	206150967	225		211247089	225	206151810	257
13.2	206150974	225	0.530 in.	206150981	225	206151841	257
12.5	206150998	225	1/2 in.	206151001	225	206151858	257
11.2	206151018	225	7/16 in.	206151025	225	206151865	257
10	206151049	225		211247096	225	206151872	257
9.5	206151056	225	3/8 in.	206151063	225	206151889	257
9	206151070	225		211247102	225	206151919	257
8	206151087	225	5/16 in.	206151094	225	206151926	257
7.1	206151100	225		211247119	225	206151933	257
6.7	206151117	225	0.265 in.	206151124	225	206151940	257
6.3	206151155	225	1/4 in.	206151162	225	206151957	257
5.6	206151179	225	3.1/2 in.	206151186	225	206151964	257
5	206151193	225		211247126	225	206151988	257
4.75	206151209	225	4	206151216	225	206151995	257
4.5	206151223	225		211247133	225	206152008	257
4	206151230	225	5	206151247	225	206152015	257
3.55	206151254	225		211247140	225		
3.35	206151261	225	6	206151278	225		
3.15	206151285	192		211247157	192		
2.8	206151292	192	7	206151308	192		
2.5	206151315	192		211247164	192		
2.36	206151322	192	8	206151339	192		
2.24	206151346	192		211247171	192		
2	206151353	192	10	206151360	192		
1.8	206151377	192		211247188	192		
1.7	206151407	192	12	206151414	192		
1.6	206151421	192		211247195	192		
1.4	206151438	192	14	206151445	192		
1.25	206151452	192		211247201	192		
1.18	206151469	192	16	206151476	192		
1.12	206151506	192		211247218	192		
1	206151513	192	18	206151520	192		

Ø 315 mm  
↑ 75 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece
900	206152022	192		211247225	192
850	206152039	192	20	206152046	192
800	206152053	192		211247232	192
710	206152060	192	25	206152077	192
630	206152084	192		211247249	192
600	206152091	192	30	206152107	192
560	206152114	192		211247256	192
500	206152121	192	35	206152138	192
450	206152145	192		211247263	192
425	206152152	192	40	206152169	192
400	206152176	192		211247270	192
355	206152183	192	45	206152190	192
315	206152213	192		211247287	192
300	206152220	192	50	206152237	192
280	206152244	192		211247294	192
250	206152251	192	60	206152268	192
224	206152275	192		211247300	192
212	206152299	192	70	206152305	192
200	206152312	192		211247317	192
180	206152329	192	80	206152336	192
160	206152343	192		211247324	192
150	206152350	192	100	206152367	192
140	206152381	192		211247331	192
125	206152398	192	120	206152404	192
112	206152411	192		211247348	192
106	206152428	192	140	206152435	192
100	206152442	192		211247355	192
90	206152459	192	170	206152466	192
80	206152473	192		211247362	192
75	206152480	192	200	206152497	192
71	206152503	192		211247379	192
63	206152510	199	230	206152527	199
56	206152534	210		211247386	210
53	206152541	221	270	206152558	221
50	206152565	229		211247393	229
45	206163714	252	325	206163721	252
40	206163738	255		211247409	255
38	206163769	352	400	206163776	352
36	206163783	371		211247416	371
32	206163790	409	450	206163806	409
25	206163813	616	500	206163820	616
20	206163837	1.224	635	206163844	1.224

### Accessories

Sieve cover	205922275	116
Sieve pan 315x60 mm	205922718	114
Sieve pan with discharge nozzle	205922879	262
Deaeration ring 315x75 mm	205922084	184
Intermediate ring	205923937	93
Additional pasted seam top Ø 250-315 mm*	205922145	16
Additional pasted seam bottom Ø 250-315 mm*	205922152	16
Sealing ring PVC	205921896	1
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 315 mm  
↑ 75 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	No.	Article-No.	€/Piece	Article-No.	€/Piece
125	206145208	264	5 in.	206145215	264	206146830	257
112	206145222	264		211247430	264	206146847	257
106	206145239	264	4.24 in.	206145246	264	206146854	257
100	206145253	264	4 in.	206145260	264	206146861	257
90	206145277	264	3.1/2 in.	206145284	264	206146878	257
80	206145291	264		211247447	264	206146908	257
75	206145307	264	3 in.	206145314	264	206146915	257
71	206145321	264		211247454	264	206146922	257
63	206145338	264	2.1/2 in.	206145345	264	206146939	257
56	206145352	264		211247461	264	206146946	257
53	206145369	264	2.12 in.	206145376	264	206146960	257
50	206145383	264	2 in.	206145390	264	206146977	257
45	206145406	264	1.3/4 in.	206145413	264	206146984	257
40	206145420	264		211247478	264	206146991	257
37.5	206145444	264	1.1/2 in.	206145451	264	206147004	257
35.5	206145468	264		211247485	264	206147028	257
31.5	206145475	264	1.1/4 in.	206145482	264	206147035	257
28	206145499	264		211247492	264	206147042	257
26.5	206145505	264	1.06 in.	206145512	264	206147059	257
25	206145529	264	1 in.	206145536	264	206147066	257
22.4	206145567	264	7/8 in.	206145574	264	206147073	257
20	206145581	226		211247508	226	206147080	257
19	206145598	226	3/4 in.	206145604	226	206147097	257
18	206145611	226		211247515	226	206147103	257
16	206145628	226	5/8 in.	206145635	226	206147110	257
14	206145659	226		211247522	226	206147127	257
13.2	206145666	226	0.530 in.	206145673	226	206147134	257
12.5	206145680	226	1/2 in.	206145697	226	206147141	257
11.2	206145154	226	7/16 in.	206145161	226	206147158	257
10	206145703	226		211247539	226	206147165	257
9.5	206145710	226	3/8 in.	206145727	226	206147196	257
9	206145734	226		211247546	226	206147202	257
8	206145130	226	5/16 in.	206145147	226	206147219	257
7.1	206145741	226		211247553	226	206147226	257
6.7	206145758	226	0.265 in.	206145765	226	206147233	257
6.3	206145772	226	1/4 in.	206145789	226	206147264	257
5.6	206145796	226	3.1/2 in.	206145802	226	206147271	257
5	206145123	226		211247423	226	206147288	257
4.75	206145819	226	4	206145826	226	206147295	257
4.5	206145833	226		211247560	226	206147301	257
4	206145840	226	5	206145857	226	206147325	257
3.55	206145864	226		211247577	226		
3.35	206145871	226	6	206145888	226		
3.15	206145895	226		211247584	226		
2.8	206145918	226	7	206145925	226		
2.5	206145932	199		211247591	199		
2.36	206145949	199	8	206145956	199		
2.24	206145963	199		211247607	199		
2	206145970	199	10	206145987	199		
1.8	206145994	199		211247614	199		
1.7	206146021	199	12	206146038	199		
1.6	206146045	199		211247621	199		
1.4	206146052	199	14	206146069	199		
1.25	206146076	199		211247638	199		
1.18	206146083	199	16	206146090	199		
1.12	206146106	199		211247645	199		
1	206146120	199	18	206146137	199		

Ø 350 mm  
↑ 60 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece
900	206146144	199		211247652	199
850	206146151	199	20	206146168	199
800	206146175	199		211247669	199
710	206146182	199	25	206146199	199
630	206146205	199		211247676	199
600	206146212	199	30	206146229	199
560	206146236	199		211247683	199
500	206146243	199	35	206146250	199
450	206146267	199		211247690	199
425	206146274	199	40	206146281	199
400	206146298	199		211247706	199
355	206146304	199	45	206146311	199
315	206146328	199		211247713	199
300	206146335	199	50	206146342	199
280	206146359	199		211247720	199
250	206146373	199	60	206146380	199
224	206146397	199		211247737	199
212	206146403	199	70	206146410	199
200	206146427	199		211247744	199
180	206146434	199	80	206146441	199
160	206146458	199		211247751	199
150	206146465	199	100	206146472	199
140	206146502	199		211247768	199
125	206146519	199	120	206146526	199
112	206146533	199		211247775	199
106	206146540	199	140	206146557	199
100	206146564	199		211247782	199
90	206146588	199	170	206146595	199
80	206146601	199		211247799	199
75	206146618	199	200	206146625	199
71	206146632	225		211247805	225
63	206146649	240	230	206146656	240
56	206146670	252		211247812	252
53	206146687	254	270	206146694	254
50	206146700	259		211247829	259
45	206163905	278	325	206163912	278
40	206163929	285		211247836	285
38	206163936	354	400	206163943	354
36	206163950	367		211247843	367
32	206163967	432	450	206163974	432
25	206163981	667	500	206163998	667
20	206164025	1.344	653	206164032	1.344

### Accessories

Sieve cover	205922282	196
Sieve pan	205922732	237
Sieve pan with discharge nozzle	205922886	376
Intermediate ring	205923944	110
Deceleration ring 350x60 mm	205922091	192
Additional pasted seam top Ø 350-400 mm*	205922169	17
Additional pasted seam bottom Ø 350-400 mm*	205922176	17
Sealing ring PVC	205921919	2
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 350 mm  
↑ 60 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	No.	Article-No.	€/Piece	Article-No.	€/Piece
125	206139948	339	5 in.	206139955	339	206140791	328
112	206139962	339		211247942	339	206140807	328
106	206139979	339	4.24 in.	206139986	339	206140814	328
100	206139993	339	4 in.	206140005	339	206140821	328
90	206140012	339	3.1/2 in.	206140029	339	206140838	328
80	206140036	339		211247959	339	206140869	328
75	206140043	339	3 in.	206140050	339	206140876	328
71	206140067	339		211247966	339	206140883	328
63	206140074	321	2.1/2 in.	206140081	321	206173959	328
56	206140098	321		211247973	321	206174307	328
53	206140104	321	2.12 in.	206140111	321	206140890	328
50	206140128	321	2 in.	206140135	321	206140906	328
45	206140142	321	1.3/4 in.	206140159	321	206134509	328
40	206140166	321		211247980	321	206140913	328
37.5	206140173	321	1.1/2 in.	206140180	321	206140920	328
35.5	206134561	321		211247911	321	206134646	328
31.5	206174314	321	1.1/4 in.	206174321	321	206134493	328
28	206140197	321		211247997	321	206140937	328
26.5	206140203	321	1.06 in.	206140210	321	206140944	328
25	206140227	321	1 in.	206140234	321	206140951	328
22.4	206140241	321	7/8 in.	206140258	321	206134486	328
20	206134172	321		211247867	321	206140968	328
19	206140265	321	3/4 in.	206140272	321	206140975	328
18	206140289	321		211248000	321	206140982	328
16	206174239	321	5/8 in.	206174246	321	206134479	328
14	206173997	321		211248260	321	206134431	328
13.2	206140296	321	0.530 in.	206140302	321	206140999	328
12.5	206173973	321	1/2 in.	206173980	321	206134639	328
11.2	206140319	321	7/16 in.	206140326	321	206134462	328
10	206134592	321		211247928	321	206134622	328
9.5	206169600	321	3/8 in.	206169617	321	206141002	328
9	206140333	321		211248017	321	206141019	328
8	206134158	321	5/16 in.	206134165	321	206134455	328
7.1	206173966	321		211248253	321	206141026	328
6.7	206140340	321	0.265 in.	206140357	321	206141033	328
6.3	206134134	321	1/4 in.	206134141	321	206141040	328
5.6	206168962	321	3.1/2 in.	206168979	321	206174062	328
5	206168917	321		211248222	321	206134448	328
4.75	206140364	321	4	206140371	321	206141057	328
4.5	206134189	321		211247874	321	206141064	328
4	206134110	321	5	206134127	321	206134424	328
3.55	206140388	321		211248024	321		
3.35	206140395	321	6	206140401	321		
3.15	206134103	321		211247850	321		
2.8	206134653	321	7	206134660	321		
2.5	206140418	271		211248031	271		
2.36	206140425	271	8	206140432	271		
2.24	206140449	271		211248048	271		
2	206134578	271	10	206134585	271		
1.8	206140456	271		211248055	271		
1.7	206140463	271	12	206140470	271		
1.6	206140487	271		211248062	271		
1.4	206172129	271	14	206172136	271		
1.25	206172112	271		211248246	271		
1.18	206140494	271	16	206140500	271		
1.12	206140517	271		211248079	271		
1	206134080	271	18	206134097	271		

Ø 400 mm  
↑ 65 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece
900	206140524	271		211248086	271
850	206140531	271	20	206140548	271
800	206172105	271		211248239	271
710	206134400	271	25	206134417	271
630	206174345	271		211248277	271
600	206140555	271	30	206140562	271
560	206140579	271		211248093	271
500	206134066	271	35	206134073	271
450	206134356	271		211247904	271
425	206140586	271	40	206140593	271
400	206134349	271		211247898	271
355	206134196	271	45	206134202	271
315	206140609	271		211248109	271
300	206140616	271	50	206140623	271
280	206140630	271		211248116	271
250	206134387	271	60	206134394	271
224	206140647	271		211248123	271
212	206140654	271	70	206140661	271
200	206140678	271		211248130	271
180	206134219	271	80	206134226	271
160	206134233	271		211247881	271
150	206134301	271	100	206134318	271
140	206140685	271		211248147	271
125	206134608	271	120	206134615	271
112	206140692	271		211248154	271
106	206134288	271	140	206134295	271
100	206140708	271		211248161	271
90	206134363	271	170	206134370	271
80	206140715	271		211248178	271
75	206134264	271	200	206134271	271
71	206134684	271		211247935	271
63	206134325	296	230	206134332	296
56	206140722	314		211248185	314
53	206140739	332	270	206140746	332
50	206140753	345		211248192	345
45	206163103	385	325	206163110	385
40	206163868	400		211248208	400
38	206163295	544	400	206163301	544
36	206163875	567		211248215	567
32	206163882	627	450	206163899	627
25	206163080	945	500	206163097	945
20	206163271	1.376	635	206163288	1.376

### Accessories

Sieve cover	205922299	167
Sieve pan	205922756	171
Sieve pan with discharge nozzle	205922893	289
Intermediate pan	205923784	251
Intermediate ring	205923951	123
Deaeration ring 400x65 mm	205922107	233
Additional pasted seam top Ø 350-400 mm*	205922169	17
Additional pasted seam bottom Ø 350-400 mm*	205922176	17
Sealing ring PVC	205921926	2
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 400 mm  
↑ 65 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

\* up to w 1 mm

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel			Perforated Plate with square holes made from Galvanized Steel			
	DIN ISO 3310-1		No.	ASTM E11		DIN ISO 3310-2	
w / mm	Article-No.	€/Piece		Article-No.	€/Piece	Article-No.	€/Piece
125	206154873	595	5 in.	206154880	595	206160409	535
112	206154903	595		211248307	595	206160423	535
106	206154927	595	4.24 in.	206154934	595	206651952	460
100	206154958	595	4 in.	206154965	595	206160447	535
90	206154989	595	3.1/2 in.	206154996	595	206160461	535
80	206155016	595		211248314	595	206159601	535
75	206155030	595	3 in.	206155047	595	206652041	460
71	206155061	595		211248321	595	206159953	535
63	206155085	565	2.1/2 in.	206155092	565	206159977	472
56	206155115	565		211248338	595	206160485	535
53	206155139	565	2.12 in.	206155146	565	206159991	460
50	206155160	565	2 in.	206155177	565	206159847	535
45	206155191	565	1.3/4 in.	206155207	565	206160010	472
40	206155221	565		211248345	595	206159625	535
37.5	206155245	565	1.1/2 in.	206762597	565	206160034	460
35.5	206155269	565		211248352	565	206159861	535
31.5	206155283	565	1.1/4 in.	206762580	565	206159649	472
28	206155306	565		211248369	565	206651990	460
26.5	206155320	565	1.06 in.	206155337	565	206160058	460
25	206155351	565	1 in.	206155368	565	206159663	535
22.4	206155382	565	7/8 in.	206155399	565	206160508	472
20	206155412	565		211248376	565	206159687	535
19	206155436	565	3/4 in.	206155723	565	206160072	460
18	206155467	565		211248383	565	206160522	535
16	206155481	565	5/8 in.	206155498	565	206159700	472
14	206155511	565		211248390	565	206159724	535
13.2	206155535	565	0.530 in.	206155542	565	206166159	460
12.5	206150356	565	1/2 in.	206150363	565	206160119	535
11.2	206155566	565	7/16 in.	206155573	565	206160546	472
10	206155610	565		211248406	565	206159748	535
9.5	206155634	565	3/8 in.	206762573	565	206160133	460
9	206155658	565		211248413	565	206160560	535
8	206155672	565	5/16 in.	206155689	565	206159762	472
7.1	206155702	565		211248420	565	206160584	535
6.7	206155726	565	0.265 in.	206155733	565	206652034	460
6.3	206155757	565	1/4 in.	206155764	565	206159786	535
5.6	206155788	565	3.1/2 in.	206155795	565	206160607	472
5	206150257	565		211248284	565	206160157	535
4.75	206155818	565	4	206155825	565	206160171	460
4.5	206155849	565		211248437	565	206160621	535
4	206155863	565	5	206155870	565	206159885	472
3.55	206155894	565		211248444	565		
3.35	206155917	565	6	206762559	565		
3.15	206155931	565		211248451	565		
2.8	206155955	565	7	206155962	565		
2.5	206150271	475		211248291	475		
2.36	206155986	475	8	206155993	475		
2.24	206156013	475		211248468	475		
2	206150325	475	10	206150332	475		
1.8	206156037	475		211248475	475		
1.7	206156051	475	12	206156068	475		
1.6	206156082	475		211248482	475		
1.4	206156105	475	14	206156112	475		
1.25	206156150	475		211248499	475		
1.18	206156174	475	16	206156181	475		
1.12	206156204	475		211248505	475		
1	206150295	475	18	206150301	475		

Ø 450 mm = 18"  
↑ 70 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel				
	DIN ISO 3310-1		No.	ASTM E11	
w / µm	Article-No.	€/Piece		Article-No.	€/Piece
900	206156228	472		211248512	472
850	206156242	472	20	206156259	472
800	206156273	472		211248529	472
710	206156297	472	25	206156303	472
630	206156327	472		211248536	472
600	206156341	472	30	206156358	472
560	206156372	472		211248543	472
500	206156396	472	35	206156402	472
450	206156426	472		211248550	472
425	206156440	472	40	206156457	472
400	206156471	472		211248567	472
355	206156495	472	45	206156501	472
315	206156525	472		211248574	472
300	206156549	472	50	206156556	472
280	206156570	472		211248581	472
250	206156594	472	60	206156600	472
224	206156624	472		211248598	472
212	206156648	472	70	206156655	472
200	206156679	472		211248604	472
180	206150172	472	80	206150189	472
160	206150202	472		211248674	472
150	206156693	472	100	206156709	472
140	206156723	472		211248611	472
125	206156747	472	120	206156754	472
112	206156778	475		211248628	475
106	206156792	475	140	206156808	475
100	206156822	475		211248635	475
90	206156846	475	170	206156853	475
80	206156877	481		211248642	481
75	206156891	511	200	206156907	511
71	206156921	511		211248659	511
63	206156945	513	230	206156952	513
56	206160645	660		211248666	660
53	206160669	660	270	206160676	660
50	206160690	660		211248673	660
45	206156976	660	325	206156983	660
40	206160713	757		211248680	757
38	206160737	848	400	206160744	848
36	206160768	897		211248697	897
32	206160782	1.055	450	206160799	1.055

### Accessories

Sieve cover	205922329	306
Sieve pan	205922770	393
Sieve pan with discharge nozzle	205922909	450
Intermediate ring	206762702	355
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 450 mm = 18"  
↑ 70 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

## NEXOPART Air Jet Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel e200 LS				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€/Piece		Article-No.	€/Piece
4	206158895	164	5	206158901	164
3.55	206158918	164		206158932	164
3.35	206158925	164	6	206158932	164
3.15	206158949	164		211244477	164
2.8	206158956	164	7	206158963	164
2.5	206158970	145		211244484	145
2.36	206158987	145	8	206158994	145
2.24	206159007	145		211244491	145
2	206159014	145	10	206159021	145
1.8	206159052	145		211244507	145
1.7	206159069	145	12	206159076	145
1.6	206159083	145		211244514	145
1.4	206159090	145	14	206159106	145
1.25	206159113	145		211244521	145
1.18	206159120	145	16	206159137	145
1.12	206159144	145		211244538	145
1	206159151	145	18	206159168	145
w / µm					
900	206158215	144		211244262	144
850	206158222	144	20	206158239	144
800	206158246	144		211244279	144
710	206158253	144	25	206158260	144
630	206158277	144		211244286	144
600	206158284	144	30	206158291	144
560	206158307	144		211244293	144
500	206158314	144	35	206158321	144
450	206158338	144		211244309	144
425	206158345	144	40	206158352	144
400	206158369	144		211244316	144
355	206158376	144	45	206158383	144
315	206158390	144		211244323	144
300	206158406	144	50	206158413	144
280	206158420	144		211244330	144
250	206158437	144	60	206158444	144
224	206158451	144		211244347	144
212	206158482	144	70	206158499	144
200	206158505	144		211244354	144
180	206158512	144	80	206158529	144
160	206158536	144		211244361	144
150	206158543	144	100	206158550	144
140	206158567	144		211244378	144
125	206158574	144	120	206158581	144
112	206158598	144		211244385	144
106	206158604	144	140	206158611	144
100	206158628	144		211244392	144
90	206158635	144	170	206158642	144
80	206158659	144		211244408	144
75	206158666	144	200	206158673	144
71	206158680	144		211244415	144
63	206158697	148	230	206158703	148
56	206158710	158		211244422	158
53	206158727	158	270	206158734	158
50	206158741	158		211244439	158
45	206158758	184	325	206158765	184
40	206158772	184		211244446	184
38	206158789	249	400	206158796	249
36	206158802	249		211244453	249
32	206158833	263	450	206158840	263
25	206158857	422	500	206158864	422
20	206158871	746	635	206158888	746

Ø 203 mm = 8"  
↑ 28 mm nominal height



e200 LS (Fully automatic sieve detection via RFID chip)  
203x28 mm

With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Air Jet Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel 200 LS-N				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€/Piece		Article-No.	€/Piece
4	206135902	150	5	206135919	150
3.55	206135964	150		211243937	150
3.35	206135940	150	6	206135957	150
3.15	206135896	150		211243920	150
2.8	206135926	150	7	206135933	150
2.5	206135766	133		211243913	133
2.36	206135742	133	8	206135759	133
2.24	206135735	133		211243906	133
2	206135711	133	10	206135728	133
1.8	206135704	133		211243890	133
1.7	206135681	133	12	206135698	133
1.6	206135674	133		211243883	133
1.4	206135650	133	14	206135667	133
1.25	206135643	133		211243876	133
1.18	206135629	133	16	206135636	133
1.12	206135605	133		211243869	133
1	206135582	133	18	206135599	133
w / µm					
900	206135575	131		211243852	131
850	206135551	131	20	206135568	131
800	206135544	131		211243845	131
710	206135506	131	25	206135513	131
630	206135490	131		211243838	131
600	206135476	131	30	206135483	131
560	206135469	131		211243821	131
500	206135445	131	35	206135452	131
450	206135438	131		211243814	131
425	206135414	131	40	206135421	131
400	206135391	131		211243807	131
355	206135377	131	45	206135384	131
315	206135360	131		211243791	131
300	206135346	131	50	206135353	131
280	206135339	131		211243784	131
250	206135315	131	60	206135322	131
224	206135292	131		211243777	131
212	206135278	131	70	206135285	131
200	206135261	131		211243760	131
180	206135247	131	80	206135254	131
160	206135230	131		211243753	131
150	206135216	131	100	206135223	131
140	206135209	131		211243746	131
125	206135186	131	120	206135193	131
112	206135179	131		211243739	131
106	206135155	131	140	206135162	131
100	206135148	131		211243722	131
90	206135124	131	170	206135131	131
80	206135117	131		211243715	131
75	206135094	131	200	206135100	131
71	206135087	131		211243708	131
63	206135063	134	230	206135070	134
56	206135032	144		211243692	144
53	206135018	144	270	206135025	144
50	206135001	144		211243685	144
45	206134981	166	325	206134998	166
40	206134974	166		211243678	166
38	206134950	238	400	206134967	238
36	206134936	238		211243661	238
32	206134912	249	450	206134929	249
25	206134899	407	500	206134905	407
20	206134875	732	635	206134882	732

Ø 203 mm = 8"  
↑ 28 mm nominal height



200 LS-N  
203x28 mm

With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Air Jet Sieves with Frame made from Stainless Steel

Nominal size	Metal Wire Cloth made from Stainless Steel A200 LS				
	DIN ISO 3310-1		No.	ASTM E11	
w / mm	Article-No.	€/Piece		Article-No.	€/Piece
2.5	206138002	116		211242893	116
2.36	206158468	116	8	206158475	116
2.24	206137906	116		211242886	116
2	206137807	116	10	206137814	116
1.8	206137692	116		211242879	116
1.7	206158819	116	12	206158826	116
1.6	206137630	116		211242862	116
1.4	206137616	116	14	206137623	116
1.25	206137609	116		211242855	116
1.18	206159038	116	16	206159045	116
1.12	206137517	116		211242848	116
1	206137449	116	18	206137456	116
w / µm					
900	206137371	116		211242831	116
850	206159229	116	20	206159236	116
800	206137159	116		211242824	116
710	206137067	116	25	206137074	116
630	206136985	116		211242817	116
600	206159281	116	30	206159298	116
560	206136909	116		211242800	116
500	206136800	116	35	206136817	116
450	206136787	116		211242794	116
425	206159311	116	40	206159328	116
400	206136770	116		211242787	116
355	206136633	116	45	206136640	116
315	206136572	116		211242756	116
300	206159526	116	50	206159533	116
280	206136503	116		211242749	116
250	206136466	116	60	206136473	116
224	206136459	116		211242732	116
212	206159540	116	70	206159557	116
200	206136343	116		211242725	116
180	206136237	116	80	206136244	116
160	206136077	116		211242718	116
150	206159564	116	100	206159571	116
140	206136022	116		211242701	116
125	206136008	116	120	206136015	116
112	206135995	116		211242695	116
106	206159588	116	140	206159595	116
100	206135889	116		211242688	116
90	206135803	116	170	206135810	116
80	206135797	116		211242671	116
75	206159816	116	200	206159823	116
71	206135612	116		211242664	116
63	206135520	118	230	206135537	118
56	206135407	131		211242657	131
53	206159922	131	270	206159939	131
50	206135308	131		211242640	131
45	206135049	155	325	206135056	155
40	206134943	155		211242633	155
38	206160096	220	400	206160102	220
36	206134868	220		211242626	220
32	206134837	237	450	206134844	237
25	206134790	383	500	206134806	383
20	206134752	704	635	206134769	704

Ø 200 mm  
↓ 25 mm nominal height



A200 LS  
200x25 mm  
With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696946  
EURO / piece: 37,00

Calibration (DIN EN 10204)  
Article No. 206697059  
EURO / piece 72,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697271  
EURO / piece 78,00

## NEXOPART Test Sieves for Cereals acc. to ISO 5223 with frame made from Stainless Steel

Nominal size Perforated Plate - Stainless Steel						
w / mm	Article-No.	€/Piece	Article-No.	€/Piece		
Width x Length	Slot holes rounded		Width	Round holes		
3.55x20.0	206165206	269				
2.8x20.0	206165152	269				
2.5x20.0	206163332	269				
2.25x20.0	206165220	269				
2.2x20.0	206163127	269				
2.0x20.0	206160270	269				
1.9x20.0	206165213	269				
1.8x20.0	206160959	269				
1.7x20.0	206159304	269				
1.0x20.0	206160966	269				
			4.5	206165398	201	
			(not acc. to ISO 5223)	3	206165381	201

### Accessories

Sieve cover	205922237	63	Sieve cover	205922237	63
Sieve pan	205922589	51	Sieve pan	205922589	51

## NEXOPART Test Sieves for Tobacco with Frame made from Stainless Steel

Nominal size Perforated Plate					
w / mm	Article-No.	€/Piece	Article-No.	€/Piece	
200x50 mm			203x50 mm		
2.38x31.75*	206161963	504	206161895	504	
2.0x50	206161987	504	206161901	504	
1.7x50	206161970	504	206161918	504	

### Accessories

Sieve pan	205922589	50	Sieve pan	205922626	50
-----------	-----------	----	-----------	-----------	----

## NEXOPART Grid Sieves acc. to DIN EN 933-3 with frame made from Aluminium with parallel cylindric bars

Nominal size Rod Bars (Ø 5 mm) - Stainless Steel		
w / mm	Article-No.	€/Piece
50	206468765	303
40	206468741	303
31.5	206468734	303
25	206468659	303
20	206468666	303
16	206468673	317
12.5	206468680	317
10	206468697	317
8	206468628	332
7.2	206468758	332 acc. to DIN EN 1097-8
6.3	206468635	332
5	206468642	332
4	206468703	341
3.15	206468710	341
2.5	206468727	341

Ø 200 mm  
↓ 32 mm nominal height



With Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204

With Inspection Certificate 3.1 according to DIN EN 10204 on request:  
Article-No. 206696946  
EURO / Piece: 37,00

Ø 200 mm  
↓ 50 mm nominal height



\* Gap between the slots: 2.78 mm

Ø 300 x 300 mm  
↓ 75 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204

With Inspection Certificate 3.1 according to DIN EN 10204 on request:  
Article-No. 206698520  
EURO / Piece: 64.00

## NEXOPART Test Sieves with Frame made from Beechwood

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	NO.	Article-No.	€/Piece	Article-No.	€/Piece
125	206172082	194	5 in.	206172099	194	206170804	213
112	206169853	194		211246068	194	206170798	213
106	206762634	194	4.24 in.	206169877	194	206170064	213
100	206172068	194	4 in.	206172075	194	206170781	213
90	206169884	194	3.1/2 in.	206169891	194	206170774	213
80	206173782	194		211246464	194	206170767	213
75	206173683	194	3 in.	206173690	194	206170071	213
71	206172051	194		211246457	194	206170750	213
63	206172013	194	2.1/2 in.	206172020	194	206170743	213
56	206172006	194		211246433	194	206170736	213
53	206169907	194	2.12 in.	206169914	194	206170088	213
50	206171986	194	2 in.	206171993	194	206170729	213
45	206171962	194	1.3/4 in.	206171979	194	206170712	213
40	206171955	194		211246426	194	206170705	213
37.5	206173669	194	1.1/2 in.	206173676	194	206172044	213
35.5	206171948	194		211246419	194	206170699	213
31.5	206171924	194	1.1/4 in.	206171931	194	206170682	213
28	206171917	194		211246402	194	206170675	213
26.5	206169921	194	1.06 in.	206169938	194	206170095	213
25	206171894	194	1 in.	206171900	194	206170668	213
22.4	206171870	194	7/8 in.	206171887	194	206170651	213
20	206171863	194		211246396	194	206170644	213
19	206173645	194	3/4 in.	206173652	194	206170101	213
18	206171856	194		211246389	194	206170637	213
16	206171832	194	5/8 in.	206171849	194	206170613	213
14	206171825	194		211246372	194	206170606	213
13.2	206169945	194	0.530 in.	206169952	194	206170118	213
12.5	206171801	194	1/2 in.	206171818	194	206170590	213
11.2	206171788	194	7/16 in.	206171795	194	206170583	213
10	206171771	194		211246365	194	206170576	213
9.5	206173621	194	3/8 in.	206173638	194	206170125	213
9	206171764	194		211246358	194	206170569	213
8	206171740	194	5/16 in.	206171757	194	206170538	213
7.1	206171733	194		211246341	194	206170507	213
6.7	206169969	194	0.265 in.	206762641	194	206170132	213
6.3	206171719	194	1/4 in.	206171726	194	206170491	213
5.6	206171696	194	3.1/2 in.	206171702	194	206170484	213
5	206171689	194		211246334	194	206170323	213
4.75	206173607	194	4	206173614	194	206170811	213
4.5	206171672	194		211246327	194	206170194	213
4	206171658	194	5	206171665	194	206170149	213
3.55	206171641	194		211246310	194		
3.35	206173430	194	6	206173447	194		
3.15	206171634	194		211246303	194		
2.8	206171610	194	7	206171627	194		
2.5	206171603	178		211246297	178		
2.36	206173584	178	8	206173591	178		
2.24	206171597	178		211246280	178		
2	206171573	178	10	206171580	178		
1.8	206171566	178		211246273	178		
1.7	206173416	178	12	206173423	178		
1.6	206171559	178		211246266	178		
1.4	206171535	178	14	206171542	178		
1.25	206171528	178		211246259	178		
1.18	206173706	178	16	206173713	178		
1.12	206171511	178		211246242	178		
1	206171498	178	18	206171504	178		

Ø 300 x 300 mm  
↓ 80 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Beechwood

Nominal size	Metal Wire Cloth made from Stainless Steel					
	DIN ISO 3310-1			ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece	
900	206171481	178		211246235	178	
850	206173720	178	20	206173737	178	
800	206171474	178		211246228	178	
710	206171450	178	25	206171467	178	
630	206171443	178		211246211	178	
600	206173744	178	30	206173751	178	
560	206171436	178		211246204	178	
500	206171412	178	35	206171429	178	
450	206171405	178		211246198	178	
425	206169976	178	40	206169983	178	
400	206171399	178		211246181	178	
355	206171375	178	45	206171382	178	
315	206171368	178		211246174	178	
300	206173768	178	50	206173775	178	
280	206171351	178		211246167	178	
250	206171337	178	60	206171344	178	
224	206171320	178		211246150	178	
212	206169990	178	70	206170002	178	
200	206171313	178		211246143	178	
180	206171290	178	80	206171306	178	
160	206171283	178		211246136	178	
150	206173546	178	100	206173553	178	
140	206171276	178		211246129	178	
125	206171252	178	120	206171269	178	
112	206171245	178		211246112	178	
106	206170019	178	140	206170026	178	
100	206171238	178		211246105	178	
90	206171214	178	170	206171221	178	
80	206171207	178		211246099	178	
75	206173560	178	200	206173577	178	
71	206171191	178		211246082	178	
63	206171177	195	230	206171184	195	
56	206170033	205		211246075	205	
53	206170040	211	270	206170057	211	
50	206172037	215		211246440	215	
45	206170545	222	325	206170552	222	

### Accessories

Sieve pan	205922794	81
Sieve cover	205922336	38
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 300 x 300 mm  
↓ 80 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696861  
EURO / piece: 66,00

Calibration (DIN EN 10204)  
Article No. 206697035  
EURO / piece 159,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697301  
EURO / piece 174,00

## NEXOPART Test Sieves with Frame made from Beechwood

Nominal size	Metal Wire Cloth made from Stainless Steel				Perforated Plate with square holes made from Galvanized Steel		
	DIN ISO 3310-1		ASTM E11		DIN ISO 3310-2		
w / mm	Article-No.	€/Piece	No.	Article-No.	€/Piece	Article-No.	€/Piece
125	206173089	243	5 in.	206173096	243	206171115	269
112	206173102	243		211249366	243	206171108	269
106	206170156	243	4.24 in.	206170163	243	206170439	269
100	206173065	243	4 in.	206173072	243	206171092	269
90	206173454	243	3.1/2 in.	206173461	243	206171085	269
80	206173058	243		211249359	243	206171078	269
75	206173478	243	3 in.	206173485	243	206170446	269
71	206173041	243		211249342	243	206171061	269
63	206173027	243	2.1/2 in.	206173034	243	206171054	269
56	206173010	243		211249335	243	206171047	269
53	206170170	243	2.12 in.	206170187	243	206170453	269
50	206172990	243	2 in.	206173003	243	206171030	269
45	206172976	243	1.3/4 in.	206172983	243	206171023	269
40	206172969	243		211249328	243	206171016	269
37.5	206173492	243	1.1/2 in.	206173508	243	206172143	269
35.5	206172952	243		211249311	243	206171009	269
31.5	206172938	243	1.1/4 in.	206172945	243	206170996	269
28	206172921	243		211249304	243	206170989	269
26.5	206170200	243	1.06 in.	206170217	243	206170460	269
25	206172907	243	1 in.	206172914	243	206170972	269
22.4	206172884	243	7/8 in.	206172891	243	206170965	269
20	206172877	243		211249298	243	206170958	269
19	206173515	243	3/4 in.	206173522	243	206170477	269
18	206172860	243		211249281	243	206170941	269
16	206172846	243	5/8 in.	206172853	243	206170934	269
14	206172839	243		211249274	243	206170927	269
13.2	206170224	243	0.530 in.	206170231	243	206171146	269
12.5	206172815	243	1/2 in.	206172822	243	206170910	269
11.2	206172792	243	7/16 in.	206172808	243	206170903	269
10	206172785	243		211249267	243	206170897	269
9.5	206173393	243	3/8 in.	206173409	243	206171153	269
9	206172778	243		211249250	243	206170880	269
8	206172754	243	5/16 in.	206172761	243	206170873	269
7.1	206172747	243		211249243	243	206170866	269
6.7	206170248	243	0.265 in.	206170255	243	206171160	269
6.3	206172723	243	1/4 in.	206172730	243	206170859	269
5.6	206172709	243	3.1/2 in.	206172716	243	206171122	269
5	206172693	243		211249236	243	206170842	269
4.75	206170262	243	4	206170279	243	206171139	269
4.5	206172686	243		211249229	243	206170835	269
4	206172662	243	5	206172679	243	206170828	269
3.55	206172655	243		211249212	243		
3.35	206173171	243	6	206173188	243		
3.15	206172648	243		211249205	243		
2.8	206172624	243	7	206172631	243		
2.5	206172617	215		211249199	215		
2.36	206173119	215	8	206173126	215		
2.24	206172600	215		211249182	215		
2	206172587	215	10	206172594	215		
1.8	206172570	215		211249175	215		
1.7	206173195	215	12	206173201	215		
1.6	206172563	215		211249168	215		
1.4	206172549	215	14	206172556	215		
1.25	206172532	215		211249151	215		
1.18	206170286	215	16	206170293	215		
1.12	206172525	215		211249144	215		
1	206172501	215	18	206172518	215		

Ø 500 x 500 mm  
↑ 80 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.

With Inspection Certificate 3.1 according to DIN EN 10204 on request:

Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

**Note:**  
Sieves with perforated plates made from galvanized steel have to be stored in a dry place and must be cleaned and dried after use.

## NEXOPART Test Sieves with Frame made from Beechwood

Nominal size	Metal Wire Cloth made from Stainless Steel					
	DIN ISO 3310-1			ASTM E11		
w / µm	Article-No.	€/Piece	No.	Article-No.	€/Piece	
900	206172495	215		211249137	215	
850	206173218	215	20	206173225	215	
800	206172488	215		211249120	215	
710	206172464	215	25	206172471	215	
630	206172457	215		211249113	215	
600	206170309	215	30	206170316	215	
560	206172440	215		211249106	215	
500	206172426	215	35	206172433	215	
450	206172419	215		211249090	215	
425	206173157	215	40	206173164	215	
400	206172402	215		211249083	215	
355	206172389	215	45	206172396	215	
315	206172372	215		211249076	215	
300	206173133	215	50	206173140	215	
280	206172365	215		211249069	215	
250	206172341	215	60	206172358	215	
224	206172334	215		211249052	215	
212	206170514	215	70	206170521	215	
200	206172327	215		211249045	215	
180	206172303	215	80	206172310	215	
160	206172297	215		211249038	215	
150	206173232	215	100	206173249	215	
140	206172280	215		211249021	215	
125	206172266	215	120	206172273	215	
112	206172259	215		211249014	215	
106	206170330	215	140	206170347	215	
100	206172242	215		211249007	215	
90	206172228	227	170	206172235	215	
80	206172211	227		211248994	227	
75	206170354	227	200	206170361	227	
71	206172204	234		211248987	234	
63	206172181	248	230	206172198	248	
56	206170378	266		211248963	266	
53	206170385	283	270	206170392	283	
50	206170408	308		211248970	308	
45	206170415	331	325	206170422	331	

### Accessories

Sieve pan	205922800	106
Sieve cover	205922343	44
Rubber ball	201446515	1
Rubber cube	205332425	1

Ø 500 x 500 mm  
↑ 80 mm nominal height



With Serial Number and Certificate of Compliance with the Order 2.1 acc. to DIN EN 10204.













With Inspection Certificate 3.1 according to DIN EN 10204 on request:











Certification (DIN EN 10204)  
Article-No. 206696960  
EURO / piece: 97,00

Calibration (DIN EN 10204)  
Article No. 206697042  
EURO / piece 284,00

With Calibration Certificate according to DIN EN ISO / IEC 17025  
Article No. 206697318  
EURO / piece 309,00

**Interchangeable Screens for Aluminium Sieves on request.**

International Test Sieve Comparison Table 2026											Nominal size
Sieve bottom for test sieves nominal sizes of openings											125–1 mm
1	2	3	4	5	6	7	8	9	10	11	12
ISO 3310 Table 1, Millimetre sizes			DEU	DEU	DEU		USA		USA	USA	TYLER*
 Principal sizes	  Supplementary sizes										
R 20/3	R 20	R 40/3									
Nominal aperture sizes acc. to ISO 565			DIN ISO 3310-1 #	DIN ISO 3310-2 ●	DIN ISO 3310-2 ■	ASTM E11 #		ASTM E11	ASTM E323 ●	ASTM E323 ■	TYLER Screen Scale #
w	w	w	w	w	w	w	No.	w	w	w	Mesh
125	125	125	125	125	125	125	5 in.		125	125	
	112		112	112	112			112			
	100	106	106	106	106	106	4.24 in.		106	106	
90	90	90	90	90	90	90	4 in.		90	90	
	80		80	80	80			80			
	71	75	75	75	75	75	3 in.		75	75	
63	63	63	63	63	63	63		71			
	56		56	56	56			56			
	50	53	53	53	53	53	2.12 in.		53	53	
45	45	45	45	45	45	45	2 in.		45	45	
	40		40	40	40			40			
	35,5	37,5	37,5	37,5	37,5	37,5	1.3/4 in.		37,5	37,5	
31,5	31,5	31,5	31,5	31,5	31,5	31,5	1.1/2 in.		31,5	31,5	
	28		28	28	28			35,5			
	25	26,5	26,5	26,5	26,5	26,5	1.1/4 in.		26,5	26,5	1.05 in.
22,4	22,4	22,4	22,4	22,4	22,4	22,4	1 in.		25,0	25,0	
	20		20	20	20			20			
	18	19	19	19	19	19,0	7/8 in.		19,0	19,0	.883 in.
16	16	16	16	16	16	16,0	3/4 in.		18	18	.742 in.
	14		14	14	14			14			
	12,5	13,2	13,2	13,2	13,2	13,2	5/8 in.		13,2	13,2	.624 in.
11,2	11,2	11,2	11,2	11,2	11,2	11,2	0.530 in.		12,5	12,5	.525 in.
	10		10	10	10			10			
	9	9,5	9,5	9,5	9,5	9,5	1/2 in.		9,5	9,5	.441 in.
8	8	8	8	8	8	8,0	3/8 in.		9	9	.371 in.
	7,1		7,1	7,1	7,1			9			
	6,3	6,7	6,7	6,7	6,7	6,7	5/16 in.		8,0	8,0	2 1/2
5,6	5,6	5,6	5,6	5,6	5,6	5,6	0.265 in.		6,7	6,7	3
	5		5	5	5			7,1			
	4,5	4,75	4,75	4,75	4,75	4,75	1/4 in.		6,3	6,3	
4	4	4	4	4	4	4,00	3.1/2		5,6	5,6	3.1/2
	3,55		3,55	3,55	3,55			5			
	3,15	3,35	3,35	3,35	3,35	3,35	4		4,75	4,75	4
2,8	2,8	2,8	2,8	2,8	2,8	2,80	5		4,5	4,5	5
	2,5		2,5	2,5	2,5			4,5			
	2,24	2,36	2,36	2,36	2,36	2,36	6		4,00	4,00	5
2	2	2	2	2	2	2,00	7		3,55	3,55	6
	1,8		1,8	1,8	1,8			3,55			
	1,6	1,7	1,7	1,7	1,7	1,70	8		3,35	3,35	6
1,4	1,4	1,4	1,4	1,4	1,4	1,40	10		3,15	3,15	7
	1,25		1,25	1,25	1,25			3,15			
	1,12	1,18	1,18	1,18	1,18	1,18	12		2,80	2,80	7
1	1	1	1	1	1	1,00	14		2,5	2,5	8
								2,5			
								2,24			
								2,00			
								1,8			
								1,70			
								1,6			
								1,40			
								1,25			
								1,18			
								1,12			
								1,00			

International Test Sieve Comparison Table 2026											Nominal size
Sieve bottom for test sieves nominal sizes of openings											900–5 µm
1	2	3	4	5	6	7	8	9	10	11	
ISO 3310 Table 2, Micrometre sizes			DEU	DEU		USA	USA		USA	TYLER*	
 Principal sizes	  Supplementary sizes										
R 20/3	R 20	R 40/3									
Nominal aperture sizes acc. to ISO 565			DIN ISO 3310-1 #	DIN ISO 3310-3 ☉		ASTM E11 #		ASTM E11 #	ASTM E161 ☉	TYLER Screen Scale #	
w	w	w	w	w		w	No.	w	w	Mesh	
	900		900						900		
	800	850	850					850	20	20	
710	710	710	800					710	25	800	
	630		710					630		24	
	600	600	600					600	30	630	
500	560	500	560					500	35	560	
	450	500	500	500				450		500	
	425	425	425	425				425	40	450	
355	400	355	400	400				355	45	400	
	315	315	315	315				315		355	
	300	300	300	300				300	50	315	
250	280	250	280	280				250	60	300	
	224	250	250	250				224		280	
	212	212	212	212				212	70	250	
180	200	180	200	200				180	80	212	
	160	180	180	180				160		200	
	150	150	150	150				150	100	180	
125	140	125	140	140				125	120	150	
	112	112	112	112				112		140	
	106	106	106	106				106	140	125	
90	100	90	100	100				90	170	106	
	80	80	80	80				80		100	
	75	75	75	75				75	200	90	
63	71	63	71	71				63	230	75	
	56	56	56	56				56		63	
	53	53	53	53				53	270	56	
45	50	45	50	50				45	325	53	
	40	40	40	40				40		50	
	38	38	38	38				38	400	45	
R10	36	36	36	36				36	450	40	
32	32	32	32	32				32	500	38	
25	25	25	25	25				25		36	
	20	20	20	20				20	635	25	
										20	
										15	
										10	
										5	

# Woven wire cloth ☉ Electroformed sheet  
 © Copyright 2026 by NEXOPART  
 \*National edition of ISO 3310. National edition of ISO 3310.

Our sieve bottoms for test sieves comply with the standards according to the current revision level. Our wire cloth for test sieves comply with the standards acc. to the valid revision level.

## On-Site Quality Assurance

### NEXOPART is setting new standards – also when it comes to service

Whether it is the re-certification of used test sieves, the inspection of your analysis sieve machines or maintenance and calibration of a NEXOPART CPA laboratory device, NEXOPART on-site service ensures that your measuring equipment goes back into operation quickly.

For the quality assurance of your test sieves at your site, NEXOPART uses a calibrated screen measuring system for

- Certification / calibration acc. to DIN EN ISO or ASTM

Note: Calibrations by a DAkkS accredited calibration laboratory can only be carried out in our factory in Oelde (performed by the accredited calibration laboratory of the company HAVER & BOECKER OHG)

The on-site machine service for your test sieve machines

- Maintenance and calibration of a NEXOPART EML series test sieve shaker
- Maintenance and calibration of a W.S. Tyler Ro-Tap®RX-29
- Comprehensive maintenance and calibration of NEXOPART e200 LS air jet sieve machine
- Commissioning and training as to a GMP installation of the sieving machine

For your laboratory equipment used for dynamic image analysis, the NEXOPART on-site service offers

- comprehensive maintenance and calibration of NEXOPART CPA laboratory units

You will find more information in our service area on our website: [www.nexopart.com](http://www.nexopart.com)



Test Sieves



e200 LS



CPA 2-1

## Terms of delivery NEXOPART

### Germany

Value-added tax	21 % (charged separately)
Packing Payment	charged separately to be agreed upon

### Contact

E-Mail	<a href="mailto:info@laboratoriumzeven.nl">info@laboratoriumzeven.nl</a>
Phone	+31 (0)492-234415

### Minimum order value

Minimum order value **300 €**, thereunder we recommend to order via our E-Shop [www.laboratoriumzeven.nl](http://www.laboratoriumzeven.nl)

### General Terms and Conditions of Supply and Payment

The General Terms and Conditions of Delivery and Payment can be downloaded from our website [www.nexopart.com/agb](http://www.nexopart.com/agb).